

The Registrar National Electric Power Regulatory Authority G-5/1, Islamabad

Subject: Application for Generation License upto 4 MW

I, Farman Ahmed Khan Lodhi, Chief Executive Officer, being the duly authorized representative of **SOLIS BRAVO ENERGY (PRIVATE) LIMITED** by virtue of BOARD RESOLUTION dated 8th July, 2019, hereby apply to National Electric Power Regulatory Authority for the grant of a Generation License to SOLIS BRAVO ENERGY (PRIVATE) LIMITED pursuant to section 15 of the Regulation of Generation, Transmission and Distribution of Electric Power Act, 1997.

I certify that the documents-in-support attached with this application are prepared and submitted in conformity with the provisions of the National Electric Power Regulatory Authority Licensing (Application and Modification Procedure) Regulations, 1999, and undertake to abide by the terms and provisions of the above-said regulations. I further undertake and confirm that the information provided in the attached documents-in-support is true and correct to the best of my knowledge and belief.

A PAY ORDER in the sum of Rupees 177,688 being the non-refundable license application fee calculated in accordance with Schedule II to the National Electric Power Regulatory Authority Licensing (Application and Modification Procedure) Regulations, 1999, is also attached herewith.

Date: 13th -September-2019

Farman Ahmed Khan Lodhi Chief Executive Officer

Solis Bravo Energy (Pvt.) LtdT +92(21)3529 4301-6 3^{rd} Floor, Horizon Vista, Block-4,F +92(21)35294311Clifton Karachi-PakistanF

www.solis-energy.com



EXTRACT OF THE BOARD OF DIRECTORS RESOLUTION OF SOLIS BRAVO ENERGY (PVT.) LTD HELD ON JULY 08, 2019

The following resolutions were discussed in detail by the Board and approved unanimously:

"RESOLVED THAT filing of an application with National Electric Power Regulatory Authority for obtaining generation license for setting up 4 MW Solar power generation projects by Solis Bravo Energy (Private) Limited (a company incorporated under the laws of Pakistan with its registered office located at 3rd Floor, Horizon Vista, Block-4, Scheme 5, Clifton, Karachi, Pakistan (the **Company**) be and is hereby approved along with all submission of required documents, filings, applicable fees and completion of all necessary formalities".

"FURTHER RESOLVED THAT in respect of submitting an application for the generation license (including any modifications thereto) to National Electric Power Regulatory Authority, MR. FARMAN AHMED KHAN LODHI, CEO be and is hereby singly empowered and authorized for and on behalf of the Company to:

- (i) review, execute, submit, and deliver the generation license application (including any modifications thereto) for the generation license along with all related documentation required by National Electric Power Regulatory Authority for the grant of the generation license, including any contracts, affidavits, statements, documents, powers of attorney, letters, forms, applications, deeds, guarantees, undertakings, approvals, memoranda, amendments, letters, communications, notices, certificates, requests, statements and any other instruments of any nature whatsoever;
- (ii) represent the Company in all negotiations, representations, presentations, hearings, conferences and/or meetings of any nature whatsoever with any entity (including, but in no manner limited to National Electric Power Regulatory Authority, any private parties, companies, partnerships, individuals, governmental and/or semi-governmental authorities and agencies, ministries, boards, departments, regulatory authorities and/or any other entity of any nature whatsoever);
- (iii) sign and execute the necessary documentation, pay the necessary fees, appear before the National Electric Power Regulatory Authority as needed, and do all acts necessary for completion and processing of the generation license application (including any modifications thereto) and procuring the generation license;

Solis Bravo Energy Pvt. Ltd. 3rd Floor, Horizon Vista, Block-4 Clifton Karachi - Pakietan

T +92(21)35294301-6

www.solis-energy.com



- (iv) appoint or nominate any one or more officers of the Company or any other person or persons, singly or jointly, in their discretion to make communicate with, make presentations to and attend the National Electric Power Regulatory Authority hearings; and
- (vi) do all such acts, matters and things as may be necessary for carrying out the purposes aforesaid and giving full effect to the above resolutions/resolution".

"AND FURTHER RESOLVED THAT Mr. Farman Ahmed Khan Lodhi, the Chief Executive Officer of the Company, be and is hereby authorized to delegate all or any of the above powers in respect of the foregoing to any other officials of the Company as deemed appropriate by him."

Certified True Copy

Abdullah Khawar Director

Dated: July 08, 2019



Solis Bravo Energy Pvt. Ltd. 3rd Floor, Horizon Vista, Block-4 Clifton, Karachi – Pakistan

T +92 (21) 3529 4301-6 F +92 (21) 3529 4311 www.solis-energy.com



SECURITIES AND EXCHANGE COMMISSION OF PAKISTAN COMPANY REGISTRATION OFFICE, KARACHI

A058057

CERTIFICATE OF INCORPORATION

[Under section 16 of the Companies Act, 2017 (XIX of 2017)]

Corporate Universal Identification No. 0135092

I hereby certify that <u>SOLIS BRAVO ENERGY (PRIVATE) LIMITED</u> is this day incorporated under the Companies Act; 2017 (XIX of 2017) and that the company is <u>limited by shares</u>.

Given under my hand at <u>Karachi</u> this <u>Eleventh</u> day of <u>June</u>, <u>Two</u> <u>Thousand</u> and <u>Nineteen</u>

Incorporation fee Rs. 1,000/=

FREE OF COST COPY

(Muhammad Nacem Khan) Additional Registrar/Incharge CRO



THE COMPANIES ACT, 2017

Memorandum of Association

(Company Limited by Shares)

MEMORANDUM OF ASSOCIATION

OF

SOLIS BRAVO ENERGY (PRIVATE) LIMITED

The name of the Company is "SOLIS BRAVO ENERGY (PRIVATE) LIMITED".

2) The Registered Office of the company shall be situated in the province of Sindh.

1)

3)

- (i) The principal line of business of the company shall be to carry on all or any of the businesses of generating, supplying, converting, transforming, distributing, purchasing, dealing in, importing and exporting all forms of electricity and energy (solar, wind, thermal, hydel and/or biomass) and products or services associated therewith including provision of energy related equipment as vendor/supplier for use of electricity or right to use such equipment and to perform all other acts which are necessary or incidental to the business of electricity generation and supply and to locate, setup, develop, design, own, establish, construct, equip, operate, use, manage, and maintain power plants anywhere in Pakistan or elsewhere, subject to approval of NEPRA wherever, required.
 - (ii) Except for the businesses mentioned in sub-clause (iii) hereunder, the company may engage in all the lawful businesses and shall be authorized to take all necessary steps and actions in connection therewith and ancillary thereto.
 - (iii) Notwithstanding anything contained in the foregoing sub-clauses of this clause nothing contained herein shall be construed as empowering the Company to undertake or indulge, directly or indirectly in the business of a Banking Company, Non-banking Finance Company (Mutual Fund, Leasing, Investment Company, Investment Advisor, Real Estate Investment Trust management company, Housing Finance Company, Venture Capital Company, Discounting Services, Microfinance or Microcredit business), Insurance Business, Modaraba management company, Stock Brokerage business, forex, real estate business, managing agency, business of providing the services of security guards or any other business restricted under any law for the time being in force or as may be specified by the Commission.
 - (iv) It is hereby undertaken that the company shall not:
 - (a) engage in any of the business mentioned in sub-clause (iji) above or any unlawful operation;
 - (b) launch multi-level marketing (MLM), Pyramid and Ponzi Schemes, or other related activities/businesses or any lottery business;
 - (c) engage in any of the permissible business unless the requisite approval, permission, consent or license is obtained from competent authority as may be required under any law for the time being in force.

SOLIS BRAVO ENERGY (PRIVATE) LIMITED

PG.

Memorandum of Association

4) The liability of the members is limited.

5) The Authorized Capital of the Company is Rs. 100,000 (Rupees One Hundred Thousand only) divided into 10,000 (Ten Thousand) ordinary shares of Rs. 10 (Rupees Ten only) each.



We, the several persons whose names and addresses are subscribed, are desirous of being formed into a Company, in pursuance of this Memorandum of Association and we respectively agree to take the number of shares in the capital of the Company set opposite our respective names:-

Signatures							
Number of shares taken by each subscriber (in figures and words)	10 (Ten Shares only)	10 (Ten Shares only)	10 (Ten Shares only)	3000 (Three Thousand Shares Only)		3030	(Three Thousand Thirty Shares only)
Usual residential address in full or the registered/principal office address for a subscriber other than natural person	Plot # 508, Flat # G-1, Muhammad Residency, Shikarpur Colony, Jamshed Quarters, Karachi	House No. C-11, Block H, North Nazimabad Karachi	House No. 164/II, Street No. 18, Khayaban-e-Qasim, Phase VIII, DHA, Karachi	3ª Floor, Horizon Vista, Block 045, Clifton, Karachi	House No. 164/II, Street No. 18, Khayaban-e-Qasim, Phase VIII, DHA, Karachi	nd words)	te te
Occupation	Business Executive	Business Executive	Business Executive		Business Executive	shares taken (in figures a:	
National ity (ies) with any former National ity	Pakistan	Pakistan	Pakistan	Pakistan	Palustan	otal number of	
Father's/ Husband's Name in full	Mr. Abdul Razzak Tola	Mr. Khawar	Mr. Munib Ahmed Khan Lodhi		Mr. Munib ? Ahmed Khan Lodhi		<u>41</u> 7/
NIC No. (in case of foreigner, Passport No)	42301- 1106437-9	42201- 4937427-1	42101- 7436364-3	0114993	42101- 7436364-3		-
Name and surname (present & former) in full (in Block Letters)	Mr. Abdul Basit Tola	Mr. Muhammad Abdulah Khamar	Mr. Farman Ahmed Khan Lodhi	SOLIS ENERGY SOLUTIONS (PRIVATE) LIMITED	REPRESENTED BY: Mr. Farman Ahmed Khan Lodhi		2 2

•

SOLIS BRAVO ENERGY (PRIVATE) LIMITED

45.44

Page # 3

Memorandum of Association

ual residential address	c No. ual residential address	cupation	ionality	her's/ Husband's name	Name (in Block Letters)	lature	ess to above signatures:	: June 03, 2019		Memorandum of Association	
-------------------------	----------------------------------	----------	----------	-----------------------	-------------------------	--------	--------------------------	-----------------	--	---------------------------	--



17

SOLIS BRAVO ENERGY (PRIVATE) LIMITED

(

Page # 4

THE COMPANIES ACT, 2017

(Company Limited by Shares)

ARTICLES OF ASSOCIATION

OF

SOLIS BRAVO ENERGY (PRIVATE) LIMITED

PRELIMINARY

1. (1) In these regulations-

- a. "section" means section of the Act;
- b. "the Act" means the Companies Act, 2017; and
- c. "the seal" means the common seal or official seal of the company as the case may be.

(2) Unless the context otherwise requires, words or expressions contained in these regulations shall have the same meaning as in this Act; and words importing the singular shall include the plural, and *vice versa*, and words importing the masculine gender shall include feminine, and words importing persons shall include bodies corporate.

BUSINESS

2. The directors shall have regard to the restrictions on the commencement of business imposed by section 19 if, and so far as, those restrictions are binding upon the company.

SHARES

Si instance)

3. In case of shares in the physical form, every person whose name is entered as a member in the register of members shall, without payment, be entitled to receive, within thirty days after allotment or within fifteen days of the application for registration of transfer, a certificate under the seal specifying the share or shares held by him and the amount paid up thereon:

Provided that if the shares are in book entry form or in case of conversion of physical shares and other transferable securities into book-entry form, the company shall, within ten days after an application is made for the registration of the transfer of any shares or other securities to a central depository, register such transfer in the name of the central depository.

- 4. The company shall not be bound to issue more than one certificate in respect of a share or shares in the physical form, held jointly by several persons and delivery of a certificate for a share to one of several joint holders shall be sufficient delivery to all.
- 5. If a share certificate in physical form is defaced, lost or destroyed, it may be renewed on payment of such fee, if any, not exceeding one hundred rupees, and on such terms, if any, as to evidence and indemnity and payment of expenses incurred by the company in investigating title as the directors think fit.

6. Except to the extent and in the manner allowed by section 86, no part of the funds of the company shall be employed in the purchase of, or in loans upon the security of, the company's shares.

TRANSFER AND TRANSMISSION OF SHARES

- 7. The instrument of transfer of any share in physical form in the company shall be executed both by the transferor and transferee, and the transferor shall be deemed to remain holder of the share until the name of the transferee is entered in the register of members in respect thereof.
- 8. Shares in physical form in the company shall be transferred in the following form, or in any usual or common form which the directors shall approve: -

Form for Transfer of Shares

(First Schedule to the Companies Act, 2017)

Signature..... Transferor Full Name, Father's / Husband's Name CNIC Number (in case of foreigner, Passport Number) Nationality Occupation and usual Residential Address Signature..... **Transferee** Full Name, Father's / Husband's Name CNIC Number (in case of foreigner, Passport Number) Nationality Occupation and usual Residential Address Cell number Landline number, if any Email address

Witness 1: Signature......date...... Name, CNIC Number and Full Address Witness 2:

Signature......date..... Name, CNIC Number and Full Address

Bank Account Details of Transferee for Payment of Cash Dividend (Mandatory in case of a listed company or optional for any other company)

It is requested that all my cash dividend amounts declared by the company, may be credited into the following bank account:

Tile of Bank Account	
Bank Account Number	
Bank's Name	
Branch Name and Address	

It is stated that the above mentioned information is correct and that I will intimate the changes in the above-mentioned information to the company and the concerned Share Registrar as soon as these occur.

Signature of the Transferee(s)

- 9. (1) Subject to the restrictions contained in regulation 11 and 12, the directors shall not refuse to transfer any share unless the transfer deed is defective or invalid. The directors may also suspend the registration of transfers during the ten days immediately preceding a general meeting or prior to the determination of entitlement or rights of the shareholders by giving seven days' previous notice in the manner provided in the Act. The directors may, in case of shares in physical form, decline to recognise any instrument of transfer unless
 - a) A fee not exceeding fifty rupees as may be determined by the directors is paid to the company in respect thereof; and
 - b) The duly stamped instrument of transfer is accompanied by the certificate of the shares to which it relates, and such other evidence as the directors may reasonably require to show the right of the transferor to make the transfer.

(2) If the directors refuse to register a transfer of shares, they shall within fifteen days after the date on which the transfer deed was lodged with the company send to the transferee and the transferor notice of the refusal indicating the defect or invalidity to the transferee, who shall, after removal of such defect or invalidity be entitled to re-lodge the transfer deed with the company.

Provided that, where the transferee is a central depository, the refusal shall be conveyed within five days from the date on which the instrument of transfer was lodged and the company shall notify the defect or invalidity to the transferee who shall, after the removal of such defect or invalidity, be entitled to re-lodge the transfer deed with the company.

TRANSMISSION OF SHARES

10. The executors, administrators, heirs, or nominees, as the case may be, of a deceased sole holder of a share shall be the only persons recognised by the company to deal with the share in accordance with the law. In the case of a share registered in the names of two or more holders, the survivors or survivor, or the executors or administrators of the deceased survivor, shall be the only persons recognised by the company to deal with the share in accordance with the share in accordance with the law.

- 11. The shares or other securities of a deceased member shall be transferred on application duly supported by succession certificate or by lawful award, as the case may be, in favour of the successors to the extent of their interests and their names shall be entered to the register of members.
- 12. A person may on acquiring interest in a company as member, represented by shares, at any time after acquisition of such interest deposit with the company a nomination conferring on a person, being the relatives of the member, namely, a spouse, father, mother, brother, sister and son or daughter, the right to protect the interest of the legal heirs in the shares of the deceased in the event of his death, as a trustee and to facilitate the transfer of shares to the legal heirs of the deceased subject to succession to be determined under the Islamic law of inheritance and in case of non-Muslim members, as per their respective law.
- 13. The person nominated under regulation 13 shall, after the death of the member, be deemed as a member of the company till the shares are transferred to the legal heirs and if the deceased was a director of the company, not being a listed company, the nominee shall also act as director of the company to protect the interest of the legal heirs.
- 14. A person to be deemed as a member under regulation 12, 13 and 14 to a share by reason of the death or insolvency of the holder shall be entitled to the same dividends and other advantages to which he would be entitled if he were the registered holder of the share and exercise any right conferred by membership in relation to meetings of the company.

ALTERATION OF CAPITAL

- 15. The company may, by special resolution-
 - (a) increase its authorized capital by such amount as it thinks expedient;
 - (b) consolidate and divide the whole or any part of its share capital into shares of larger amount than its existing shares;
 - (c) sub-divide its shares, or any of them, into shares of smaller amount than is fixed by the memorandum;
 - (d) Cancel shares which, at the date of the passing of the resolution in that behalf, have not been taken or agreed to be taken by any person, and diminish the amount of its share *m*₁₁₀ and capital by the amount of the share so cancelled.
- 16. Subject to the provisions of the Act, all new shares shall at the first instance be offered to such persons as at the date of the offer are entitled to such issue in proportion, as nearly as the circumstances admit, to the amount of the existing shares to which they are entitled. The offer shall be made by letter of offer specifying the number of shares offered, and limiting a time within which the offer, if not accepted, will deem to be declined, and after the expiration of that time, or on the receipt of an intimation from the person to whom the offer is made that he declines to accept the shares offered, the directors may dispose of the same in such manner as they think most beneficial to the company. The directors may likewise so dispose of any new shares which (by reason of the ratio which the new shares bear to shares held by persons entitled to an offer of new shares) cannot, in the opinion of the directors, be conveniently offered under this regulation.
- 17. The new shares shall be subject to the same provisions with reference to transfer, transmission and otherwise as the shares in the original share capital.

- 18. The company may, by special resolution
 - a. consolidate and divide its share capital into shares of larger amount than its existing shares;
 - b. sub-divide its existing shares or any of them into shares of smaller amount than is fixed by the memorandum of association, subject, nevertheless, to the provisions of section 85;
 - c. Cancel any shares which, at the date of the passing of the resolution, have not been taken or agreed to be taken by any person.
- 19. The company may, by special resolution, reduce its share capital in any manner and with, and subject to confirmation by the Court and any incident authorised and consent required, by law.

GENERAL MEETINGS

- 20. The statutory general meeting of the company shall be held within the period required by section 131.
- 21. A general meeting, to be called annual general meeting, shall be held, in accordance with the provisions of section 132, within sixteen months from the date of incorporation of the company and thereafter once at least in every year within a period of one hundred and twenty days following the close of its financial year.
- 22. All general meetings of a company other than the statutory meeting or an annual general meeting mentioned in sections 131 and 132 respectively shall be called extraordinary general meetings.

1513

- 23. The directors may, whenever they think fit, call an extraordinary general meeting, and extraordinary general meetings shall also be called on such requisition, or in default, may be called by such requisitionists, as provided by section 133. If at any time there are not within Pakistan sufficient directors capable of acting to form a quorum, any director of the company may call an extraordinary general meeting in the same manner as nearly as possible as that in which meetings may be called by the directors.
- 24. The company may provide video-link facility to its members for attending general meeting at places other than the town in which general meeting is taking place after considering the geographical dispersal of its members.

NOTICE AND PROCEEDINGS OF GENERAL MEETINGS

25. Twenty-one days' notice at the least (exclusive of the day on which the notice is served or deemed to be served, but inclusive of the day for which notice is given) specifying the place, the day and the hour of meeting and, in case of special business, the general nature of that business, shall be given in the manner provided by the Act for the general meeting, to such persons as are under the Act or the regulations of the company entitled to receive such notice from the company; but the accidental omission to give notice to, or the non-receipt of notice by any member shall not invalidate the proceedings at any general meeting.

- 26. All the business transacted at a general meeting shall be deemed special other than the business stated in sub-section (2) of section 134 namely; the consideration of financial statements and the reports of the board and auditors, the declaration of any dividend, the election and appointment of directors in place of those retiring and the appointment of the auditors and fixing of their remuneration.
- 27. No business shall be transacted at any general meeting unless a quorum of members is present at that time when the meeting proceeds to business. The quorum of the general meeting shall be two members present personally, or through video-link who represent not less than twenty-five percent of the total voting power, either of their own account or as proxies.
- 28. If within half an hour from the time appointed for the meeting a quorum is not present, the meeting, if called upon the requisition of members, shall be dissolved; in any other case, it shall stand adjourned to the same day in the next week at the same time and place, and, if at the adjourned meeting a quorum is not present within half an hour from the time appointed for the meeting, the members present, being not less than two, shall be a quorum.
- 29. The chairman of the board of directors, if any, shall preside as chairman at every general meeting of the company, but if there is no such chairman, or if at any meeting he is not present within fifteen minutes after the time appointed for the meeting, or is unwilling to act as chairman, any one of the directors present may be elected to be chairman, and if none of the directors is present, or willing to act as chairman, the members present shall choose one of their number to be chairman.
- 30. The chairman may, with the consent of any meeting at which a quorum is present (and shall if so directed by the meeting), adjourn the meeting from time to time but no business shall be transacted at any adjourned meeting other than the business left unfinished at the meeting from which the adjournment took place. When a meeting is adjourned for fifteen days or more, notice of the adjourned meeting shall be given as in the case of an original meeting. Save as aforesaid, it shall not be necessary to give any notice of an adjournment or of the business to be transacted at an adjourned meeting.
- 31. (1) At any general meeting a resolution put to the vote of the meeting shall be decided on a show of hands unless a poll is (before or on the declaration of the result of the show of hands) demanded. Unless a poll is so demanded, a declaration by the chairman that a resolution has, on a show of hands, been carried, or carried unanimously, or by a particular majority, or lost, and an entry to that effect in the book of the proceedings of the company shall be conclusive evidence of the fact, without proof of the number or proportion of the votes recorded in favour of, or against, that resolution.

(2) At any general meeting, the company shall transact such businesses as may be notified by the Commission, only through postal ballot.

- 32. A poll may be demanded only in accordance with the provisions of section 143.
- 33. If a poll is duly demanded, it shall be taken in accordance with the manner laid down in sections 144 and 145 and the result of the poll shall be deemed to be the resolution of the meeting at which the poll was demanded.

34. A poll demanded on the election of chairman or on a question of adjournment shall be taken at once. SOLIS BRAVO ENERGY (PRIVATE) LIMITED

- 35. In the case of an equality of votes, whether on a show of hands or on a poll, the chairman of the meeting at which the show of hands takes place, or at which the poll is demanded, shall have and exercise a second or casting vote.
- 36. Except for the businesses specified under sub-section (2) of section 134 to be conducted in the annual general meeting, the members may pass a resolution (ordinary or special) by circulation signed by all the members for the time being entitled to receive notice of a meeting. The resolution by circulation shall be deemed to be passed on the date of signing by the last of the signatory member to such resolution.

VOTES OF MEMBERS

- 37. Subject to any rights or restrictions for the time being attached to any class or classes of shares, on a show of hands every member present in person shall have one vote except for election of directors in which case the provisions of section 159 shall apply. On a poll every member shall have voting rights as laid down in section 134.
- 38. In case of joint-holders, the vote of the senior who tenders a vote, whether in person or by proxy or through video-link shall be accepted to the exclusion of the votes of the other joint-holders; and for this purpose seniority shall be determined by the order in which the names stand in the register of members.
- 39. A member of unsound mind, or in respect of whom an order has been made by any court having jurisdiction in lunacy, may vote, whether on show of hands or on a poll or through video link, by his committee or other legal guardian, and any such committee or guardian may, on a poll, vote by proxy.
- 40. On a poll votes may be given either personally or through video-link, by proxy or through postal ballot:

Provided that nobody corporate shall vote by proxy as long as a resolution of its directors in accordance with the provisions of section 138 is in force.

41. (1) The instrument appointing a proxy shall be in writing under the hand of the appointer or of his attorney duly authorised in writing.

(2) The instrument appointing a proxy and the power-of-attorney or other authority (if any) under which it is signed, or a notarially certified copy of that power or authority, shall be deposited at the registered office of the company not less than forty-eight hours before the time for holding the meeting at which the person named in the instrument proposes to vote and in default the instrument of proxy shall not be treated as valid.

42. An instrument appointing a proxy may be in the following form, or a form as near thereto as may be:

INSTRUMENT OF PROXY

SOLIS BRAVO ENERGY (PRIVATE) LIMITED

"]		s/o r/o		being a
member	of	the SOLIS BRAVO ENERGY (PRIVATE) LIMITED	, hereby appoint	
			my proxy to	
attend and	d vote	on my behalf at the (statutory, annual, extraordinar	y, as the case may be) ge	eneral
meeting o	f the o	company to be held on theday of	, 20	and at
any adjou	rnme	nt thereof."		

fanne Comit

43. A vote given in accordance with the terms of an instrument of proxy shall be valid notwithstanding the previous death or insanity of the principal or revocation of the proxy or of the authority under which the proxy was executed, or the transfer of the share in respect of which the proxy is given, provided that no intimation in writing of such death, insanity, revocation or transfer as aforesaid shall have been received by the company at the office before the commencement of the meeting or adjourned meeting at which the proxy is used.

DIRECTORS

44. The following subscribers of the memorandum of association shall be the first directors of the company, so, however, that the number of directors shall not in any case be less than that specified in section 154 and they shall hold office until the election of directors in the first annual general meeting:

i.	MR. ABDUL BASIT TOLA	a.
ii.	MR. MUHAMMAD ABDULLAH KHAWAR	
iii.	MR. FARMAN AHMED KHAN LODHI	

- 45. The remuneration of the directors shall from time to time be determined by the company in general meeting subject to the provisions of the Act.
- **46.** Save as provided in section 153, no person shall be appointed as a director unless he is a member of the company.

POWERS AND DUTIES OF DIRECTORS

- 47. The business of the company shall be managed by the directors, who may pay all expenses incurred in promoting and registering the company, and may exercise all such powers of the company as are not by the Act or any statutory modification thereof for the time being in force, or by these regulations, required to be exercised by the company in general meeting, subject nevertheless to the provisions of the Act or to any of these regulations, and such regulations being not inconsistent with the aforesaid provisions, as may be prescribed by the company in general meeting but no regulation made by the company in general meeting but no regulation made by the company in general meeting shall invalidate any prior act of the directors which would have been valid if that regulation had not been made.
- 48. The directors shall appoint a chief executive in accordance with the provisions of sections 186 and 187.
- 49. The amount for the time being remaining undischarged of moneys borrowed or raised by the directors for the purposes of the company (otherwise than by the issue of share capital) shall not at any time,

without the sanction of the company in general meeting, exceed the issued share capital of the company.

50. The directors shall duly comply with the provisions of the Act, or any statutory modification thereof for the time being in force, and in particular with the provisions in regard to the registration of the particulars of mortgages, charges and pledge affecting the property of the company or created by it, to the keeping of a register of the directors, and to the sending to the registrar of an annual list of members, and a summary of particulars relating thereto and notice of any consolidation or increase of share capital, or sub-division of shares, and copies of special resolutions and a copy of the register of directors and notifications of any changes therein.

MINUTE BOOKS

- 51. The directors shall cause records to be kept and minutes to be made in book or books with regard to-
 - (a) all resolutions and proceedings of general meeting(s) and the meeting(s) of directors and Committee(s) of directors, and every member present at any general meeting and every director present at any meeting of directors or Committee of directors shall put his signature in a book to be kept for that purpose;
 - (b) recording the names of the persons present at each meeting of the directors and of any committee of the directors, and the general meeting; and
 - (c) all orders made by the directors and Committee(s) of directors:

Provided that all records related to proceedings through video-link shall be maintained in accordance with the relevant regulations specified by the Commission which shall be appropriately rendered into writing as part of the minute books according to the said regulations.

THE SEAL

1 m 10

52. The directors shall provide for the safe custody of the seal and the seal shall not be affixed to any instrument except by the authority of a resolution of the board of directors or by a committee of directors authorized in that behalf by the directors and in the presence of at least two directors and of the secretary or such other person as the directors may appoint for the purpose; and those two directors and secretary or other person as aforesaid shall sign every instrument to which the seal of the company is so affixed in their presence.

DISQUALIFICATION OF DIRECTORS

53. No person shall become the director of a company if he suffers from any of the disabilities or disqualifications mentioned in section 153 or disqualified or debarred from holding such office under any of the provisions of the Act as the case may be and, if already a director, shall cease to hold such office from the date he so becomes disqualified or disabled:

Provided, however, that no director shall vacate his office by reason only of his being a member of any company which has entered into contracts with, or done any work for, the company of which he is director, but such director shall not vote in respect of any such contract or work, and if he does so vote, his vote shall not be counted.

PROCEEDINGS OF DIRECTORS

- 54. The directors may meet together for the dispatch of business, adjourn and otherwise regulate their meetings, as they think fit. A director may, and the secretary on the requisition of a director shall, at any time, summon a meeting of directors. Notice sent to a director through email whether such director is in Pakistan or outside Pakistan shall be a valid notice.
- 55. The directors may elect a chairman of their meetings and determine the period for which he is to hold office; but, if no such chairman is elected, or if at any meeting the chairman is not present within ten minutes after the time appointed for holding the same or is unwilling to act as chairman, the directors present may choose one of their number to be chairman of the meeting.
- 56. At least one-third (1/3rd) of the total number of directors or two (2) directors whichever is higher, for the time being of the company, present personally or through video-link, shall constitute a quorum.
- 57. Save as otherwise expressly provided in the Act, every question at meetings of the board shall be determined by a majority of votes of the directors present in person or through video-link, each director having one vote. In case of an equality of votes or tie, the chairman shall have a casting vote in addition to his original vote as a director.
- 58. The directors may delegate any of their powers not required to be exercised in their meeting to committees consisting of such member or members of their body as they think fit; any committee so formed shall, in the exercise of the powers so delegated, conform to any restrictions that may be imposed on them by the directors.
- 59. (1) A committee may elect a chairman of its meetings; but, if no such chairman is elected, or if at any meeting the chairman is not present within ten minutes after the time appointed for holding the same or is unwilling to act as chairman, the members present may choose one of their number to be chairman of the meeting.

(2) A committee may meet and adjourn as it thinks proper. Questions arising alony meeting shall be determined by a majority of votes of the members present. In case of an equality of votes, the chairman shall have and exercise a second or casting vote.

- 60. All acts done by any meeting of the directors or of a committee of directors, or by any person acting as a director, shall, notwithstanding that it be afterwards discovered that there was some defect in the appointment of any such directors or persons acting as aforesaid, or that they or any of them were disqualified, be as valid as if every such person had been duly appointed and was qualified to be a director.
- 61. A copy of the draft minutes of meeting of the board of directors shall be furnished to every director within seven working days of the date of meeting.
- 62. A resolution in writing signed by all the directors for the time being entitled to receive notice of a meeting of the directors shall be as valid and effectual as if it had been passed at a meeting of the directors duly convened and held.

FILLING OF VACANCIES

- 63. At the first annual general meeting of the company, all the directors shall stand retired from office, and directors shall be elected in their place in accordance with section 159 for a term of three years.
- 64. A retiring director shall be eligible for re-election.
- 65. The directors shall comply with the provisions of sections 154 to 159 and sections 161, 162 and 167 relating to the election of directors and matters ancillary thereto.
- 66. Any casual vacancy occurring on the board of directors may be filled up by the directors, but the person so chosen shall be subject to retirement at the same time as if he had become a director on the day on which the director in whose place he is chosen was last elected as director.
- 67. The company may remove a director but only in accordance with the provisions of the Act.

DIVIDENDS AND RESERVE

- 68. The company in general meeting may declare dividends but no dividend shall exceed the amount recommended by the directors.
- 69. The directors may from time to time pay to the members such interim dividends as appear to the directors to be justified by the profits of the company.
- 70. Any dividend may be paid by a company either in cash or in kind only out of its profits.
- Dividend shall not be paid out of unrealized gain on investment property credited to profit and loss account.
- 72. Subject to the rights of persons (if any) entitled to shares with special rights as to dividends, all dividends shall be declared and paid according to the amounts paid on the shares.
- 73. (1) The directors may, before recommending any dividend, set aside out of the profits of the company such sums as they think proper as a reserve or reserves which shall, at the discretion of the directors, be applicable for meeting contingencies, or for equalizing dividends, or for any other purpose to which the profits of the company may be properly applied, and pending such application may, at the like discretion, either be employed in the business of company or be invested in such investments (other than shares of the company) as the directors may, subject to the provisions of the Act, from time to time think fit.

(2) The directors may carry forward any profits which they may think prudent not to distribute, without setting them aside as a reserve.

74. If several persons are registered as joint-holders of any share, any one of them may give effectual receipt for any dividend payable on the share.

75. (1) Notice of any dividend that may have been declared shall be given in manner hereinafter mentioned to the persons entitled to share therein.

(2) Any dividend declared by the company shall be paid to its registered shareholders or to their order. The dividend payable in cash may be paid by cheque or warrant or in any electronic mode to the shareholders entitled to the payment of the dividend, as per their direction.

76. The dividend shall be paid within the period laid down under the Act.

ACCOUNTS

- 77. The directors shall cause to be kept proper books of account as required under section 220.
- 78. The books of account shall be kept at the registered office of the company or at such other place as the directors shall think fit and shall be open to inspection by the directors during business hours.
- 79. The directors shall from time to time determine whether and to what extent and at what time and places and under what conditions or regulations the accounts and books or papers of the company or any of them shall be open to the inspection of members not being directors, and no member (not being a director) shall have any right of inspecting any account and book or papers of the company except as conferred by law or authorised by the directors or by the company in general meeting:
- 80. The directors shall as required by sections 223 and 226 cause to be prepared and to be laid before the company in general meeting the financial statements duly audited and reports as are referred to in those sections.

Kerachi

- 81. The financial statements and other reports referred to in regulation 81 shall be made out in every year and laid before the company in the annual general meeting in accordance with sections 132 and 223.
- 82. A copy of the financial statements and reports of directors and auditors shall, at least twenty-one days preceding the meeting, be sent to the persons entitled to receive notices of general meetings in the manner in which notices are to be given hereunder.
- 83. The directors shall in all respect comply with the provisions of sections 220 to 227.
- 84. Auditors shall be appointed and their duties regulated in accordance with sections 246 to 249.

NOTICES

85. (1) A notice may be given by the company to any member to his registered address or if he has no registered address in Pakistan to the address, if any, supplied by him to the company for the giving of notices to him against an acknowledgement or by post or courier service or through electronic means or in any other manner as may be specified by the Commission.

(2) Where a notice is sent by post, service of the notice shall be deemed to be effected by properly addressing, prepaying and posting a letter containing the notice and, unless the contrary is proved, to have been effected at the time at which the letter will be delivered in the ordinary course of post.

- 86. A notice may be given by the company to the joint-holders of a share by giving the notice to the joint-holder named first in the register in respect of the share.
- 87. A notice may be given by the company to the person entitled to a share in consequence of the death or insolvency of a member in the manner provided under regulation 86 addressed to them by name, or by the title or representatives of the deceased, or assignees of the insolvent, or by any like description, at the address, supplied for the purpose by the person claiming to be so entitled.
- 88. Notice of every general meeting shall be given in the manner hereinbefore authorised to (a) every member of the company and also to (b) every person entitled to a share in consequence of the death or insolvency of a member, who but for his death or insolvency would be entitled to receive notice of the meeting, and (c) to the auditors of the company for the time being and every person who is entitled to receive notice of general meetings.

WINDING UP

89. (1) In the case of members' voluntary winding up, with the sanction of a special resolution of the company, and, in the case of creditors' voluntary winding up, of a meeting of the creditors, the liquidator shall exercise any of the powers given by sub-section (1) of section 337 of the Act to a liquidator in a winding up by the Court including *inter-alia* divide amongst the members, in specie or kind, the whole or any part of the assets of the company, whether they consist of property of the same kind or not.

(2) For the purpose aforesaid, the liquidator may set such value as he deems fair upon any property to be divided as aforesaid and may determine how such division shall be carried out as between the members or different classes of members.

(3) The liquidator may, with the like sanction, vest the whole or any part of such assets in trustees upon such deeds for the benefit of the contributories as the liquidator, with the like sanction, thinks fit, but so that no member shall be compelled to accept any shares or other securities whereon there is any liability.

DISPUTE RESOLUTION

90. In the event that a dispute, claim or controversy arises between the Company, its management or its shareholders, or between the shareholders inter-se, or the directors inter-se, all steps shall be taken to settle the dispute and resolve the issue through mediation by an accredited mediator before taking recourse to formal dispute resolution such as arbitration or litigation.

INDEMNITY

91. Every officer or agent for the time being of the company may be indemnified out of the assets of the company against any liability incurred by him in defending any proceedings, whether civil or criminal, arising out of his dealings in relation to the affairs of the company, except those brought by the company against him, in which judgment is given in his favour or in which he is acquitted, or in connection with any application under section 492 in which relief is granted to him by the Court.

1



We, the several persons whose names and addresses are subscribed, are desirous of being formed into a Company, in pursuance of this Articles of Association and we respectively agree to take the number of shares in the capital of the Company set opposite our respective names:-

Articles of Association

()

Signatures							
Number of shares taken by each subscriber (in figures and words)	10 (Ten Shares only)	10 (Ten Shares only)	10 (Ten Shares only)	3000 (Three Thousand Shares Only)		3030	(Three Thousand Thirty Shares only)
Usual residential address in full or the registered/principal office address for a subscriber other than natural person	Plot # 508, Flat # G-1, Muhammad Residency, Shikarpur Colony, Jamshed Quarters, Karachi	House No. C-11, Block H, North Nazimabad Karachi	House No. 164/II, Street No. 18, Khayaban-e-Qasim, Phase VIII, DHA, Karachi	3ª Floor, Horizon Vista, Block 045, Clifton, Karachi	House No. 164/II, Street No. 18, Khayaban-e-Qasim, Phase VIII, DHA, Karachi	nd words)	7
Occupation	Business Executive	Business Executive	Business Executive	A second and	Business Executive	shares taken (in figures a	
National ity (ies) with any former National ity	Pakistan	Pakistan	Pakkian Pak	Pakistan	Pakistan	otal number of :	5.4
Father's/ Husband's Name in full	Mr. Abdul Razzak Tola	Mr. Khawar	Mr. Munib Ahmed Khan Lodhi		Mr. Munib Ahmed Khan Lodhi	H	
NIC No. (in case of foreigner, Passport No)	42301- 1106437-9	42201- 4937427-1	42101- 7436364-3	0114993	42101- 7436364 - 3		
Name and surname (present & former) in full (in Block Letters)	MR. ABDUL BASIT TOLA	MR. MUHAMMAD Abdullah Khawar	Mr. Farman Ahmed Khan Lodhi	SOLIS ENERGY SOLUTIONS (PRIVATE) LIMITED	REPRESENTED BY: Mr. Farman Ahmed Khan Lodhi	2	

SOLIS BRAVO ENERGY (PRIVATE) LIMITED

Page # 15

Articles of Association

Dated: June 03, 2019

Witness to above signatures:

Signature	
Full Name (in Block Letters)	
Father's/ Husband's name	
Nationality	
Occupation ·	
NIC No.	
Usual residential address	



6.054

1925 05 0051 009Y

SOLIS BRAVO ENERGY (PRIVATE) LIMITED

.

Page # 16



Accessible, Affordable Solar Energy



What is Solis?

Fossil Fuel has traditionally been the largest source for generating electricity, gradually though we have seen its adverse effects harm our environment and the need for more affordable energy has been dictating energy policies for some years now. The methods of old are simply unacceptable today, they produce expensive energy, and they pollute our environment. The world is moving fast to clean and green energy and Solar Power is one of the most attractive options available to us with potentially unlimited capabilities.

Solis's core focus is to leverage that unlimited potential and provide reliable solutions and dependable customer support which can help drive down the cost of energy you pay for today through a pragmatic and feasible solar powered system.



But how do you do that in a manner that doesn't hinder your activities or operations? Solis can help supplement the energy you pay for today by enabling you to effectively generate your own, which means you consume less billable power.

Our Pay as You Go mechanism ensures that you can significantly reduce your energy footprint which ultimately results in more savings for you!



Financial Support Model

Solis's primary business value is the promise of affordable Solar Power. And being committed to our promise, we have partnered with Bank to offer various leasing options that allow our customers to easily avail the benefits that Solis has to offer.

OPTION A Direct Consumer Financing through Bank*

- Flexible Tenure, 1-3 Years
- Minimum Up Front from as low as 20%
- Affordable Monthly Payments

OPTION B Leasing of Equipment*

- Flexible Tenure
- Minimum Up Front Down Payment
- Affordable Monthly Rentals

* Subject to approval

03

Our Offerings

INDUSTRIAL/COMMERCIAL SYSTEMS

One of Solis's key targets is the facilitation of the commercial and industrial sectors, this is derived on the basis of 2 key objectives;

The commercial sector is extremely vital due to its status as a driving force behind the local economy. Solis aims to provide an affordable clean and green environment friendly source of power to this sector which will result in a tremendously reduced carbon footprint as well as significant savings in energy cost to the consumer too. The industrial sector is the main powerhouse behind the nation's growth, due its tremendous size and as a result significantly larger energy requirements, standard solutions aren't cut out for doing the job. This is why Solis provides bespoke large scale grid-tied solutions to suit your needs.



Types of Solutions

ON-GRID SOLAR SYSTEM

An On-Grid solution is connected to the public electricity grid, this means that any excess energy produced by the system is fed to the grid and now with the inclusion of 'Net-Metering', a consumer can receive compensation for the excess electricity they generate.



HYBRID SOLAR SYSTEM

A hybrid solution combines the best of both worlds and allows you to generate your own electricity and also reap the benefits of Net Metering along with sustained backup and battery support. Since it is connected to the public grid it is less expensive than a completely off-grid solution.







OFF-GRID SOLAR SYSTEM

An Off-Grid solution is completely isolated from the public electricity grid and comes with its own Battery Backup to ensure supply long after the Sun is gone. Usually this is an option for customers who are isolated or have no access to the electricity grid. For details contact Solis's product team.



Our Process



We Exercise Due Diligence to determine your Needs!

Each customer is different, we understand this all too well which is why our experts make on-site visits, technically analyze, plan and take all considerations into account as they deliberate on a system that meets your needs.



Our experts install your solution as per the Best Industry Practices!

Using some of the best equipment available in PV Technology today and having capable personnel to handle the process, we install the equipment as per the proposed design and ensure its lasting and optimum performance.



Assured Commitment to Quality and Dedicated Customer Support

Our commitment to you doesn't end with installation of the system, rather we build and maintain the trust of our customers by ensuring that our support team stay in touch to make module integrity certain on a timely basis. Swift and satisfactory resolution of customer queries is the top priority of our support team.

CONTACT US

For more details of our products and offerings feel free to get in touch with us at one of our two offices

KARACHI

Solis Energy Solutions Pvt. Ltd. C-18, Block 4 Clifton, Karachi – Pakistan.

Telephone: +92 (21) 3587 6531 Fax: +92 (21) 3587 6621

LAHORE

Solis Energy Solutions Pvt. Ltd. 2nd Floor, Plaza 3, Block XX, Ph. III, D.H.A Lahore – Pakistan.

Telephone: +92 (42) 3569 3855 Fax: +92 (21) 3587 6621

www.solis-energy.com

For any direct queries or feedback feel free to write to us at info@solis-energy.com

QUETTA

Solis Energy Solutions Pvt. Ltd. Showrooms 1-3, Plot 5, Main Airport Road, Gul Muhammad Saeedan, Quetta – Pakistan.

Telephone: +92(81) 230 1714

Purchase and Seller Brief



PROJECT BRIEF AND PURPOSE OF THE PROJECT

POWER SELLER – SOLIS BRAVO ENERGY PRIVATE LIMITED

Solis Bravo Energy Pvt Ltd, a company registered and existing under the laws of Pakistan having its registered office at 3rd Floor, Horizon Vista, Block 4, Scheme 05, Clifton Karachi, Pakistan (the "**Seller**"). The Seller desires to develop, design, construct, own and operate the Solar PV plants (the "**Plants**") of 4 MWp aggregate to be installed at the following locations.

DISCO	Location	Plant size	District	Province
LESCO	Lahore Cantonment	1 MWp	Lahore Punjab	Punjab
LESCO	Okara Cantonment	3 MWp	Okara	Punjab

The Seller intends to sell all the Energy generated by the Solar PV Plant to **Military Engineer Services (MES)** ("the **Purchaser**") for the period of 25 years.

POWER PURCHASER – MILLITARY ENGINEERING SERVICES

MES (**Military Engineer Services**), an organization represented by DGW&CE (Army) or its designated officer of Military Engineer Services, working under the umbrella of Armed Forces of Pakistan and existing under the laws of Pakistan, having its registered head office at GHQ Rawalpindi (the "**Purchaser**").

The Purchaser shall provide land on Rent to the Seller for the construction, operation and maintenance of a Grid Connected Solar PV Plants of 4 MWp aggregate for the period of 25 years.

The Seller shall invest, design, construct, install, own, operate, and maintain the Plant located at the land provided on rent by the Purchaser to the Seller for duration of the Power Purchase Agreement and the Purchaser shall purchase all of the power generated or available by the Plant from the Seller under the agreed terms and conditions and the Puchaser will provide facilitation to the Seller in early achievement of Commerical Operation Date.



PROJECT RATIONAL

GHQ-Military Engineering Services (MES) intends to install a Grid-Tie Solar PV Power Plant at different locations in their premises, by which they can reduce the electricity consumption from the conventional grid and use the Solar generated units for running the load. The Military Engineering Services - GHQ wants to decrease the electricity utilization from conventional grid due to cost-saving. Under these circumstances, GHQ has decided to switch the maximum load on Solar PV System that will produce the cheaper units than the conventional grid units.

Solis Bravo Energy is found to be very much suitable among different EPC contractors technically as well as financially, therefore GHQ has awarded the project to Solis Bravo Energy.

TECHNOLOGY

- Solar PV Grid tie system with all necessary protection, instrumentation, monitoring, control and synchronizing with Grid.
- Solar based Power Generation System, civil structures and Auxiliaries
- 400 V LV cable for inverter output. 11 KV MV cable used for interconnection with existing VCB and control wires.
- 330 Wp PV Modules of Tier 1 Manufacturer with 17.0% efficiency. •
- Grid-Tie smart inverter with all necessary protections. ٠
- Dual string DC combiner box to isolate the DC part when required.
- LV Panel containing Energy Meter, AC Breakers and necessary indications.
- All the electrical installations and wiring for the PV System in accordance with the • codes and standard.

Site Name	Capacity	Location	Geographical Coordinates
Lahore	1 MW	Lahore Cantt	31.55 [°] N, 74.43 [°] E
Okara	3 MW	209 KM from Multan, Punjab.	30.75 [°] N, 73.36 [°] E

PROJECT LOCATIONS

Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6 www.solis-energy.com 3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 Clifton Karachi-Pakistan


Lahore

1 MWp Solar PV On-Grid system is to be installed at the allocated space in Lahore Cantt. The designing of the system is done by considering total available area, minimum and maximum operating load and synchronizing voltage. Main objective of installing solar plant is to minimize the electricity utilization from the grid and revert the extra generated units from solar to the grid.



ROUTE MAP: LAHORE CITY TO SITE

Solis Bravo Energy (Pvt.) LtdT +92(21)3529 4301-63rd Floor, Horizon Vista, Block-4,F +92(21)35294311Clifton Karachi-PakistanF

www.solis-energy.com



Okara

3 MWp Solar PV On-Grid system is to be installed at the allocated space in cantonment area of Okara. The designing of the system is done by considering total available area, minimum and maximum operating load and synchronizing voltage. Main objective of installing solar plant is to minimize the electricity utilization from the grid and revert the extra generated units from solar to the grid.



ROUTE MAP: MULTAN TO SITE

Solis Bravo Energy (Pvt.) LtdT +92(21)3529 4301-63rd Floor, Horizon Vista, Block-4,F +92(21)35294311Clifton Karachi-PakistanF

www.solis-energy.com



TECHNOLOGY USED

Parameters	
Technology	Grid Tie, Solar PV Power Plant
System Size	4 MWp
Solar Modules	Polycrystalline Solar PV Module
Inverter	On-Grid String Inverter, SMA
	ParametersTechnologySystem SizeSolar ModulesInverter

BLOCK DIAGRAM



Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6 www.solis-energy.com 3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 **Clifton Karachi-Pakistan**



CONCEPTUAL DESIGN



Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6 3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 Clifton Karachi-Pakistan

www.solis-energy.com

3(5)(g)(a) Type, Technology, Model, Technical Details and Design



TYPE, TECHNOLOGY, MODEL, TECHNICAL DETAILS AND DESIGN OF FACILITY

DESIGN DETAILS – LAHORE CANTT – 1 MW

- Polycrystalline 330 Wp Solar Modules with efficiency 17.0% are used in the design
- 150 kVA grid connected solar inverters, 600 V three phase, 98.9% have been considered
- System will be synchronized with 11 KV Grid.
- DC/AC Ratio of 1.119 for inverters has been considered.
- Maximum AC output of the system is assumed to be 900 KVA
- Output of the system is based on the instantaneous irradiation value of Solar Energy

BILL OF MATERIALS

S.No.	Items	Description	Quantity
Lahore (Cantt – 1 MW		
1	PV Modules	330 Wp, Polycrystalline, Tier 1 Manufactured	3052
2	Inverters	Grid-Tie Solar Inverters 150 kVA 3 phase	6

ENERGY GENERATION

S.No.	Efficiency Parameters	
Lahore	Cantt – 1 MW	
1	Capacity Utilization Factor	16.71%
2	Energy Generation Units	1.47 Million kWh



DESIGN DETAILS – OKARA CANTT – 3 MW

- Polycrystalline 330 Wp Solar Modules with efficiency 17.0% are used in the design
- 150 kVA grid connected solar inverters, 600 V three phase, 98.9% have been considered
- System will be synchronized with 11 KV Grid.
- DC/AC Ratio of 1.112 for inverters has been considered.
- Maximum AC output of the system is assumed to be 2.7 MVA
- Output of the system is based on the instantaneous irradiation value of Solar Energy

BILL OF MATERIALS

S.No.	Items	Description	Quantity
Okara –	3 MW		
1	PV Modules	330 Wp, Polycrystalline, Tier 1 Manufactured	9100
2	Inverters	Grid-Tie Solar Inverters 150 kVA 3 phase	18

ENERGY GENERATION

S.No.	Efficiency Parameters	
Okara –	3 MW	
1	Capacity Utilization Factor	16.80%
2	Energy Generation Units	4.42 Million kWh

TECHNOLOGY USED

S.No.	Parameters	
1.	Technology	Grid Tie, Solar PV Power Plant
2.	System Size - Lahore	1 MWp
3.	System Size - Okara	3 MWp
4.	Total System Size	4 MWp
5.	Solar Modules	Polycrystalline Solar PV Module
6.	Inverter	On-Grid String Inverter, SMA

Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6 www.solis-energy.com 3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 **Clifton Karachi-Pakistan**



BLOCK DIAGRAM



Block Diagram

Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6 www 3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 Clifton Karachi-Pakistan

www.solis-energy.com



CONCEPTUAL DESIGN



Solis Bravo Energy (Pvt.) LtdT +92(21)3529 4301-6www.solis-energy.com3rd Floor, Horizon Vista, Block-4,F +92(21)35294311Clifton Karachi-Pakistan



SITE LAYOUTS



Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6 www.solis-energy.com 3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 Clifton Karachi-Pakistan





Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6 www.solis-energy.com 3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 Clifton Karachi-Pakistan



SINGLE LINE DIAGRAM



Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6 3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 **Clifton Karachi-Pakistan**

www.solis-energy.com





Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6 www.solis-energy.com 3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 Clifton Karachi-Pakistan

ANNEXURE -15

3(5)(h) Feasibility Report



FEASIBILITY REPORT LAHORE CANTT 1 MWp SOLAR PV PLANT

Introduction

This report has the objective to assess the feasibility of this project and is structured as follows:

- Introduction to Solar
- Solar Potential in Pakistan
- Project Overview
- Site Overview
- Conceptual Design
- Environmental Benefits
- Socio Economic Benefits
- Technical Summary

Executive Summary

1 MWp Solar PV On-Grid system is to be installed at the allocated space in Lahore Cantt. The designing of the system is done by considering total available area, minimum and maximum operating load and synchronizing voltage. Main objective of installing solar plant is to minimize the electricity utilization from the grid and revert the extra generated units from solar to the grid.

Introduction to Solar

Solar is one of the natural sources for the generation of electricity, either directly using photovoltaic or indirectly using concentrated solar power.

While generating electricity directly using photovoltaic, the used technologies include On-Grid System, Off-Grid System and Hybrid system (both on-grid and off-grid). As the cost of solar electricity has reduced, many grid-connected solar PV system has been built. Solar PV is rapidly becoming an inexpensive, low-carbon technology to harness renewable energy from sun. The most important factor influencing the generation is the solar irradiance, which changes throughout the day and it is affected by the land's latitude and climate conditions.



Solar Potential in Pakistan

Pakistan's per capita electricity consumption is comparatively lower than other countries in a similar development stage. The consumption of electricity mostly depends on Human Development Index (HDI), and the current trend of rising incomes and energy supplies, falling poverty levels. This creates a healthy demand for additional power generation.

Even with the projected surplus in power generation capacity by 2020, there will still be sufficient economic feasibility for small and medium-sized (50-100 MW) renewable energybased power projects in Pakistan. The viability of these projects will be further enhanced by the continued decline in technology prices and the emphasis by the government on indigenous energy resources that also help the country meet its environmental objectives and reduce carbon emissions.

Project Overview

GHQ-Military Engineering Services (MES) intends to install a Grid-Tie Solar PV Power Plant at different location in their premises, by which they can reduce the electricity consumption from the conventional grid and use the Solar generated units for running the load. 1 MWp Solar PV Plant has been designed for Lahore which will get synchronize with the conventional 11 KV Grid already present at the site. The site is located at Lahore Cantt in the province of Punjab.

The summary of site which is very much feasible for the installation of Solar PV plant is as follow:

Site Name	Capacity	Location	Geographical Coordinates
Lahore Cantt	1 MW	Lahore Cantt	31.55 ⁰ N, 74.43 ⁰ E

Project Rationale

The Military Engineering Services - GHQ wants to decrease the electricity utilization from conventional grid due to cost-saving. Under these circumstances, GHQ has decided to switch the maximum load on Solar PV System that will produce the cheaper units than the conventional grid units.

Solis Bravo Energy is found to be very much suitable among different EPC contractors technically as well as financially, therefore GHQ has awarded the project to Solis Bravo Energy.

Technology

- Solar PV Grid tie system with all necessary protection, instrumentation, monitoring, control and synchronizing with Grid.
- Solar based Power Generation System, civil structures and Auxiliaries
- MV & LV cable for interconnection of the system with 11 KV switchgear. Board and control wires for the necessary communication and control system.
- 330 Wp PV Modules of Tier 1 Manufacturer with 17.0% efficiency.
- 150 kVA Grid-Tie smart inverter with all necessary protections.

Solis Bravo Energy (Pvt.) Ltd	T +92(21)3529 4301-6	www.solis-energy.com
3 rd Floor, Horizon Vista, Block-4,	F +92(21)35294311	
Clifton Karachi-Pakistan		



- DC Combiner Box having 20 inputs with complete DC protections.
- Kiosk station containing LV cabinet (comprising of Energy Analyzer, AC Breakers and complete protections), Step-up Transformer (0.6/11kV) and Auxiliary Transformer.
- All the electrical installations and wiring for the PV System in accordance with the codes and standard.

Project Location

Site Overview

Site for the project covers an area of 3.5 acres and is located at Lahore Cantt. The Geographical coordinates of the site are 31.55⁰N and 74.43⁰E.



ROUTE MAP: LAHORE CITY TO SITE

Climate and Weather in Lahore

The average temperature in Lahore is 38 ⁰C. In a year, the average rainfall is 152 mm/year. The graph below shows the average climate and weather of Karachi.





The Global Horizontal Irradiance (GHI)-kWh/sq.m data for the site based on meteonorm 7.1 data is shown below

	Malir Cantt Site
Jan	89.2
Feb	110.8
Mar	153.2
Apr	167.0
May	189.4
Jun	190.5
Jul	170.7
Aug	171.3

Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6

www.solis-energy.com

3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 **Clifton Karachi-Pakistan**



Sep	163.3
Oct	129.7
Nov	96.4
Dec	85.6
Total	1717.0



O & M Costs

The project also includes 24/7 O&M of the complete PV plant including all its relevant system and equipment. This cost will include the following items inclusive of all importation and local charges, duties, taxes, etc.

- Provision of all manpower as duly approved by the company.
- Provision of all consumable material and parts.
- Provision of all routine and preventive maintenance parts.
- Periodic cleaning of PV modules.
- Timely update of inverter's firmware (if necessary).
- Periodic maintenance of Electrical distribution board parts.
- Corrective maintenance of inverter or electrical panels in case of any fault.
- Periodic and corrective maintenance of transformers and its related equipment.



Feasibility & Financing

The project at Lahore Cantt up to 1 MW will cost approximately **PKR 90,535,795.**

Lahore Cantt up to 1 MW		
Project Cost	PKR	
EPC	89,512,135	
Insurance During Construction	129,357	
CAPEX	89,641,492	
Financing Fee	181,071	
Interest During Construction	713,232	
PROJECT COST	90,535,796	
Equity	18,107,275	
Debt	72,428,521	

Socio-Economic and Environmental Benefits

There are many different benefits which can be achieved from Solar Energy. Some of them are discussed below.

Upgrading power grids to integrate renewables also contributes to broader value creation, while operation and maintenance of renewable energy facilities creates long-term jobs for plant monitoring, equipment inspections and repair services. With the emergence of a local renewable energy industry, numerous opportunities for domestic value creation arise along all segments of the value chain.

The ever-increasing cost of fuel and power has become a big issue for many underdeveloped and developing countries. The socio-economic condition of people living in these areas is not as per the normal standard. Hence, it becomes imperative to provide these people with cheap power and energy. The governments in these areas look for options, like solar energy, to initiate a better and proper distribution of power. This has also helped these people to grow and develop themselves so that they can erase the economic inequality in the country.

The benefits of solar energy are ever increasing with different technologies coming up. The research and development of various solar plants will surely create a sense of equality among different economic groups in the world.



Conceptual Design

Generation Voltage

The Solar PV System will be generating the electricity at 11 KV and it will be synchronized on the same voltage level.

Power Factor & Frequency

Lahore Cantt 1 MW Solar PV system is using Grid-Tie inverters of 150 KVA each to convert DC power of solar panels to Alternating Power. The Power Factor is adjustable from 0 leading to 0 lagging and the rated Power Factor at nominal power is 1. The range of frequency of the inverter is 44-55 Hz and nominal frequency of generation is 50 Hz.

Metering and Protection

The energy which will be generated by Solar System will be locked in the inverters and a separate CT meters will be installed at the site, by which the instantaneous power, daily energy, monthly energy and total energy can be measured.

The inverters with the following protections will be installed at the site.

- DC current reverse connection protection
- AC short circuit protection
- Leakage current protection
- Grid monitoring
- DC fuse and over current protection
- Anti-PID function
- Overvoltage protection



Technical Summary

- Polycrystalline 330 Wp Solar Modules with efficiency 17.0% are used in the design
- 150 kVA grid connected solar inverters, 600 V three phase, 98.9% have been considered
- System will be synchronized with 11 KV Grid.
- DC/AC Ratio of 1.119 for inverters has been considered.
- Maximum AC output of the system is assumed to be 900 KVA
- Output of the system is based on the instantaneous irradiation value of Solar Energy

BILL OF MATERIALS

S.No.	Items	Description	Quantity
Lahore C	antt – 1 MW		
1	PV Modules	330 Wp, Polycrystalline, Tier 1 Manufactured	3052
2	Inverters	Grid-Tie Solar Inverters 150 kVA 3 phase	6

ENERGY GENERATION

S.No.	Efficiency Parameters		
Lahore C	Lahore Cantt – 1 MW		
1	Capacity Utilization Factor	16.71%	
2	Energy Generation Units	1.47 Million kWh	



FEASIBILITY REPORT OKARA 3 MWp SOLAR PV PLANT

Introduction

This report has the objective to assess the feasibility of this project and is structured as follows:

- Introduction to Solar
- Solar Potential in Pakistan
- Project Overview
- Site Overview
- Conceptual Design
- Environmental Benefits
- Socio Economic Benefits
- Technical Summary

Executive Summary

3 MWp Solar PV On-Grid system is to be installed at the allocated space in cantonment area of Okara. The designing of the system is done by considering total available area, minimum and maximum operating load and synchronizing voltage. Main objective of installing solar plant is to minimize the electricity utilization from the grid and revert the extra generated units from solar to the grid.

Introduction to Solar

Solar is one of the natural sources for the generation of electricity, either directly using photovoltaic or indirectly using concentrated solar power.

While generating electricity directly using photovoltaic, the used technologies include On-Grid System, Off-Grid System and Hybrid system (both on-grid and off-grid). As the cost of solar electricity has reduced, many grid-connected solar PV system has been built. Solar PV is rapidly becoming an inexpensive, low-carbon technology to harness renewable energy from sun. The most important factor influencing the generation is the solar irradiance, which changes throughout the day and it is affected by the land's latitude and climate conditions.



Solar Potential in Pakistan

Pakistan's per capita electricity consumption is comparatively lower than other countries in a similar development stage. The consumption of electricity mostly depends on Human Development Index (HDI), and the current trend of rising incomes and energy supplies, falling poverty levels. This creates a healthy demand for additional power generation.

Even with the projected surplus in power generation capacity by 2020, there will still be sufficient economic feasibility for small and medium-sized (50-100 MW) renewable energy based power projects in Pakistan. The viability of these projects will be further enhanced by the continued decline in technology prices and the emphasis by the government on indigenous energy resources that also help the country meet its environmental objectives and reduce carbon emissions.

Project Overview

GHQ-Military Engineering Services (MES) intends to install a Grid-Tie Solar PV Power Plant at different location in their premises, by which they can reduce the electricity consumption from the conventional grid and use the Solar generated units for running the load. 3 MWp Solar PV Plant has been designed for Okara which will get synchronize with the conventional 11 KV Grid already present at the site. The site is located at Okara Cantonment area in the province of Punjab.

The summary of site which is very much feasible for the installation of Solar PV plant is as follow:

Site Name	Capacity	Location	Geographical Coordinates
Okara Cantt	3 MW	209 KM from Multan, Punjab.	30.75 [°] N, 73.36 [°] E

Project Rationale

The Military Engineering Services - GHQ wants to decrease the electricity utilization from conventional grid due to cost-saving. Under these circumstances, GHQ has decided to switch the maximum load on Solar PV System that will produce the cheaper units than the conventional grid units.

Solis Bravo Energy is found to be very much suitable among different EPC contractors technically as well as financially, therefore GHQ has awarded the project to Solis Bravo Energy.

Technology

- Solar PV Grid tie system with all necessary protection, instrumentation, monitoring, control and synchronizing with Grid.
- Solar based Power Generation System, civil structures and Auxiliaries
- MV & LV cable for interconnection of the system with 11 KV switchgear. Board and control wires for the necessary communication and control system.
- 330 Wp PV Modules of Tier 1 Manufacturer with 17.0% efficiency.
- 150 kVA Grid-Tie smart inverter with all necessary protections.

Solis Bravo Energy (Pvt.) Ltd	T +92(21)3529 4301-6	www.solis-energy.com
3 rd Floor, Horizon Vista, Block-4,	F +92(21)35294311	
Clifton Karachi-Pakistan		



- DC Combiner Box having 20 inputs with complete DC protections.
- Kiosk station containing LV cabinet (comprising of Energy Analyzer, AC Breakers and complete protections), Step-up Transformer (0.6/11kV) and Auxiliary Transformer.
- All the electrical installations and wiring for the PV System in accordance with the codes and standard.

Project Location

Site Overview

Site for the project covers an area of 15 acres and is located 209 km from Multan. The Geographical coordinates of the site are 30.75^oN and 73.36^oE. The area can be approached by Road using National Highway or GT Road.



ROUTE MAP: MULTAN TO SITE

Climate and Weather in Okara

The average temperature in Okara is 24.5 ^oC. In a year, the average rainfall is 296 mm/year. The graph below shows the average climate and weather of Okara.

Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6 www.solis-energy.com 3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 Clifton Karachi-Pakistan





The Global Horizontal Irradiance (GHI)-kWh/sq.m data for the site based on meteonorm 7.1 data is shown below

	Okara Site
Jan	92.2
Feb	109.2
Mar	150.7
Apr	170.1
May	191.1
Jun	187.2
Jul	177.3
Aug	172.2
Sep	160.7
Oct	135.7
Nov	106.7
Dec	89.4
Total	1742.5

Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6

www.solis-energy.com

3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 **Clifton Karachi-Pakistan**





O & M Costs

The project also includes 24/7 O&M of the complete PV plant including all its relevant system and equipment. This cost will include the following items inclusive of all importation and local charges, duties, taxes, etc.

- Provision of all manpower as duly approved by the company.
- Provision of all consumable material and parts.
- Provision of all routine and preventive maintenance parts.
- Periodic cleaning of PV modules.
- Timely update of inverter's firmware (if necessary).
- Periodic maintenance of Electrical distribution board parts.
- Corrective maintenance of inverter or electrical panels in case of any fault.
- Periodic and corrective maintenance of transformers and its related equipment.



Feasibility & Financing

The project at Okara Cantt up to 3 MW will cost approximately **PKR 271,607,387.**

Okara Cantt up to 3 MW			
Project Cost	PKR		
EPC	268,536,405		
Insurance During Construction	388,072		
САРЕХ	268,924,477		
Financing Fee	543,214		
Interest During Construction	2,139,696		
PROJECT COST	271,607,387		
Equity	54,321,825		
Debt	217,285,562		

Socio-Economic and Environmental Benefits

There are many different benefits which can be achieved from Solar Energy. Some of them are discussed below.

Upgrading power grids to integrate renewables also contributes to broader value creation, while operation and maintenance of renewable energy facilities creates long-term jobs for plant monitoring, equipment inspections and repair services. With the emergence of a local renewable energy industry, numerous opportunities for domestic value creation arise along all segments of the value chain.

The ever-increasing cost of fuel and power has become a big issue for many underdeveloped and developing countries. The socio-economic condition of people living in these areas is not as per the normal standard. Hence, it becomes imperative to provide these people with cheap power and energy. The governments in these areas look for options, like solar energy, to initiate a better and proper distribution of power. This has also helped these people to grow and develop themselves so that they can erase the economic inequality in the country.

The benefits of solar energy are ever increasing with different technologies coming up. The research and development of various solar plants will surely create a sense of equality among different economic groups in the world.



Conceptual Design

Generation Voltage

The Solar PV System will be generating the electricity at 11 KV and it will be synchronized on the same voltage level.

Power Factor & Frequency

Okara 3 MW Solar PV system is using Grid-Tie inverters of 150 KVA each to convert DC power of solar panels to Alternating Power. The Power Factor is adjustable from 0 leading to 0 lagging and the rated Power Factor at nominal power is 1. The range of frequency of the inverter is 44-55 Hz and nominal frequency of generation is 50 Hz.

Metering and Protection

The energy which will be generated by Solar System will be locked in the inverters and a separate CT meters will be installed at the site, by which the instantaneous power, daily energy, monthly energy and total energy can be measured.

The inverters with the following protections will be installed at the site.

- DC current reverse connection protection
- AC short circuit protection
- Leakage current protection
- Grid monitoring
- DC fuse and over current protection
- Anti-PID function
- Overvoltage protection



Technical Summary

- Polycrystalline 330 Wp Solar Modules with efficiency 17.0% are used in the design
- 150 kVA grid connected solar inverters, 600 V three phase, 98.9% have been considered
- System will be synchronized with 11 KV Grid.
- DC/AC Ratio of 1.112 for inverters has been considered.
- Maximum AC output of the system is assumed to be 2.7 MVA
- Output of the system is based on the instantaneous irradiation value of Solar Energy

BILL OF MATERIALS

S.No.	Items	Description	Quantity
Okara – 3 MW			
1	PV Modules	330 Wp, Polycrystalline, Tier 1 Manufactured	9100
2	Inverters	Grid-Tie Solar Inverters 150 kVA 3 phase	18

ENERGY GENERATION

S.No.	Efficiency Parameters	
Okara – 3 MW		
1	Capacity Utilization Factor	16.80%
2	Energy Generation Units	4.42 Million kWh

Clifton Karachi-Pakistan

3(5)(i) Prospectus



Company Prospectus

Company Background

Company provides an end to end solution to acquire, deploy, operate and maintain Solar Energy Solutions in collaboration with leading Tier 1 OEM's when it comes to Solar System Equipment. The Company provides a solutions which are carefully crafted for each customer and caters to a variety of industries and domains be it Commercial, Residential, Industrial, Small, Medium or Large Scale.

The Company's mission is to drive down the cost of energy as compared to today's cost. This is to be achieved by making available to the general masses of Pakistan a pragmatic and feasible solar powered solution.

Accordingly, the Company has decided to apply for a generation license for its proposed project with GHQ-MES.

Projects have been delivered for a variety of customers, including The City School, ZMTL, At-Tahur etc. with the largest being a 2 MW installation for The City School. The Company is providing customers with clean energy and minimizing their energy price risk.

The foundation of Company lies on 2 staunch principles which are, to provide affordable, sustainable Solar Technology to the household-residential as well as commercial-industrial complex, by ensuring access to the general masses, guarantee a significant reduction in operational energy costs to our customers.

The Company has focussed on Supply Chain Management and Engineering Collaborations to bring in efficiencies, which have ultimately benefitted customers. The Company is now directing all focus to the high-growth areas in solar energy space. Solar Energy Solutions help provide energy security and minimize energy costs for businesses.



Project Overview

GHQ is the Head Quarter of Pakistan Army; A disciplined fighting force in consonance with national ideals and aspirations. The armed forces have established a number of organisations for running industrial and commercial enterprises along with remarkable infrastructure development. "Arms for peace" is a vital link in the ideological chain of Pakistan Army inculcating the military men a spirit to promote peace throughout the world. Training and development has always been a significant factor for Pakistan Army preparing officers to perform their onerous duties with responsibility and honour. GHQ has different locations which are very much feasible for the installation of Solar PV Plant.

Site Name	Capacity	Location	Geographical Coordinates
Lahore	1 MW	Lahore Cantt	31.55 [°] N, 74.43 [°] E
Okara	3 MW	209 KM from Multan, Punjab.	30.75 [°] N, 73.36 [°] E
Bahawalpur 1	1 MW	Bahawalpur Cantt	29.36 ⁰ N, 71.66 ⁰ E
Bahawalpur 2	1 MW	Bahawalpur Cantt	29.36 ⁰ N, 71.69 ⁰ E
Bahawalpur 3	1 MW	Bahawalpur Cantt	29.35 ⁰ N, 71.75 ⁰ E

Lahore

1 MWp Solar PV On-Grid system is to be installed at the allocated space in Lahore Cantt. The designing of the system is done by considering total available area, minimum and maximum operating load and synchronizing voltage. Main objective of installing solar plant is to minimize the electricity utilization from the grid and revert the extra generated units from solar to the grid.



50 30 002 بارک اسٹیشن شالا مار باغ Silles Sue Wala Rdi Sue Wala Rd Shalimar Garden Orange line station e Works Railways Botani 23 min 18.0 km MUGHALPURA Mughalpura Railway علبوره ريلور Tehra [han chison College Ahmad Hassan Rd 257 Service Road O 23 min 10.9 km Lahore Cantt, Railway <mark> 19 min</mark> 10.3 km PARAGON CITY وراكون سلى 2 (A Lahore Allama Iqbal International Airport Hotel One

ROUTE MAP: LAHORE CITY TO SITE

Okara

3 MWp Solar PV On-Grid system is to be installed at the allocated space in cantonment area of Okara. The designing of the system is done by considering total available area, minimum and maximum operating load and synchronizing voltage. Main objective of installing solar plant is to minimize the electricity utilization from the grid and revert the extra generated units from solar to the grid.

Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6 www.solis-energy.com 3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 Clifton Karachi-Pakistan



ROUTE MAP: MULTAN TO SITE



Bahawalpur 1

1 MWp Solar PV On-Grid system is to be installed at the allocated space in Bahawalpur Cantt. The designing of the system is done by considering total available area, minimum and maximum operating load and synchronizing voltage. Main objective of installing solar plant is to minimize the electricity utilization from the grid and revert the extra generated units from solar to the grid.



ROUTE MAP: BAHAWALPUR CITY TO SITE



Bahawalpur 2

1 MWp Solar PV On-Grid system is to be installed at the allocated space in Bahawalpur Cantt. The designing of the system is done by considering total available area, minimum and maximum operating load and synchronizing voltage. Main objective of installing solar plant is to minimize the electricity utilization from the grid and revert the extra generated units from solar to the grid.


ROUTE MAP: BAHAWALPUR CITY TO SITE



Bahawalpur 3

1 MWp Solar PV On-Grid system is to be installed at the allocated space in Bahawalpur Cantt. The designing of the system is done by considering total available area, minimum and maximum operating load and synchronizing voltage. Main objective of installing solar plant is to minimize the electricity utilization from the grid and revert the extra generated units from solar to the grid.

Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6 www.solis-energy.com 3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 Clifton Karachi-Pakistan



ROUTE MAP: BAHAWALPUR CITY TO SITE



Project Rationale

GHQ-Military Engineering Services (MES) intends to install a Grid-Tie Solar PV Power Plant at different locations in their premises, by which they can reduce the electricity consumption from the conventional grid and use the Solar generated units for running the load. The Military Engineering Services - GHQ wants to decrease the electricity utilization from conventional grid due to cost-saving. Under these circumstances, GHQ has decided to switch the maximum load on Solar PV System that will produce the cheaper units than the conventional grid units.

Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6 www.solis-energy.com 3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 Clifton Karachi-Pakistan



Solis Bravo Energy is found to be very much suitable among different EPC contractors technically as well as financially, therefore GHQ has awarded the project to Solis Bravo Energy.

Technology

- Solar PV Grid tie system with all necessary protection, instrumentation, monitoring, control and synchronizing with Grid.
- Solar based Power Generation System, civil structures and Auxiliaries
- 400 V LV cable for inverter output. 11 KV MV cable used for interconnection with existing VCB and control wires.
- 330 Wp PV Modules of Tier 1 Manufacturer with 17.0% efficiency. •
- Grid-Tie smart inverter with all necessary protections.
- Dual string DC combiner box to isolate the DC part when required.
- LV Panel containing Energy Meter, AC Breakers and necessary indications.
- All the electrical installations and wiring for the PV System in accordance with the codes and standard.

Project Location

GHQ has different locations, which are very much feasible for the installation of Solar PV System.

Site Name	Capacity	Location	Geographical Coordinates			
Lahore	1 MW	Lahore Cantt	31.55 ⁰ N, 74.43 ⁰ E			
Okara	3 MW	209 KM from Multan, Punjab.	30.75 [°] N, 73.36 [°] E			
Bahawalpur 1	1 MW	Bahawalpur Cantt	29.36 ⁰ N, 71.66 ⁰ E			
Bahawalpur 2	1 MW	Bahawalpur Cantt	29.36 ⁰ N, 71.69 ⁰ E			
Bahawalpur 3	1 MW	Bahawalpur Cantt	29.35 [°] N, 71.75 [°] E			



Lahore

Site for the project covers an area of 3.5 acres and is located at Lahore Cantt. The Geographical coordinates of the site are $31.55^{\circ}N$ and $74.43^{\circ}E$.



ROUTE MAP: LAHORE CITY TO SITE

Okara

Site for the project covers an area of 15 acres and is located 209 km from Multan. The Geographical coordinates of the site are 30.75[°]N and 73.36[°]E. The area can be approached by Road using National Highway or GT Road.

Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6 www.solis-energy.com 3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 Clifton Karachi-Pakistan



BRAVOENERGY



ROUTE MAP: MULTAN TO SITE

Bahawalpur 1

Site for the project covers an area of 4.5 acres and is located at Bahawalpur Cantt. The Geographical coordinates of the site are 29.36° N and 71.66° E.



ROUTE MAP: BAHAWALPUR CITY TO SITE



Bahawalpur 2

Site for the project covers an area of 3.5 acres and is located at Bahawalpur Cantt. The Geographical coordinates of the site are 29.36⁰N and 71.69⁰E.



ROUTE MAP: BAHAWALPUR CITY TO SITE

Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6 3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 **Clifton Karachi-Pakistan**



Bahawalpur 3

Site for the project covers an area of 5 acres and is located at Bahawalpur Cantt. The Geographical coordinates of the site are 29.35° N and 71.75° E.



ROUTE MAP: BAHAWALPUR CITY TO SITE



Operations & Maintenance Cost

The project also includes 24/7 O&M of the complete PV plant including all its relevant system and equipment. This cost will include the following items inclusive of all importation and local charges, duties, taxes, etc.

- Provision of all manpower as duly approved by the company.
- Provision of all consumable material and parts.
- Provision of all routine and preventive maintenance parts.
- Periodic cleaning of PV modules.
- Timely update of inverter's firmware (if necessary).
- Periodic maintenance of Electrical distribution board parts.
- Corrective maintenance of inverter or electrical panels in case of any fault.

Environmental Assessment

Effective environmental planning and management depends on reliably predicting the project's effects on resources. The basis for the prediction is the knowledge of the proposed project of local resources with which it is expected to interact, and how similar projects elsewhere have affected the environment. Adverse effects that cannot be mitigated become residual and must be acceptable for the project to go forward.

Environmental and social impact attributable to the Project can broadly be classified into those taking place before construction and those occurring during operation. Some of the impacts can be anticipated and avoided through appropriate provisions in the project design. Some can be mitigated by careful implementation of the Project while some other can be adjusted with by appropriately following the operational manual and an affective collaboration with communities.

ANNEXURE – 16

SCHEDULE- III

Location Maps, Site Maps, Land



LOCATION MAP AND SITE MAP

GHQ has different locations which are very much feasible for the installation of Solar PV Plant.

Site Name	Capacity	Location	Geographical Coordinates			
Lahore	1 MW	Lahore Cantt	31.55 ⁰ N, 74.43 ⁰ E			
Okara	3 MW	209 KM from Multan, Punjab.	30.75 [°] N, 73.36 [°] E			

Lahore

1 MWp Solar PV On-Grid system is to be installed at the allocated space in Lahore Cantt. The designing of the system is done by considering total available area, minimum and maximum operating load and synchronizing voltage. Main objective of installing solar plant is to minimize the electricity utilization from the grid and revert the extra generated units from solar to the grid.

ROUTE MAP: LAHORE CITY TO SITE



Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6 3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 Clifton Karachi-Pakistan



Okara

3 MWp Solar PV On-Grid system is to be installed at the allocated space in cantonment area of Okara. The designing of the system is done by considering total available area, minimum and maximum operating load and synchronizing voltage. Main objective of installing solar plant is to minimize the electricity utilization from the grid and revert the extra generated units from solar to the grid.



ROUTE MAP: MULTAN TO SITE

Solis Bravo Energy (Pvt.) LtdT +92(21)3529 4301-63rd Floor, Horizon Vista, Block-4,F +92(21)35294311Clifton Karachi-PakistanF



SITE LAYOUTS



Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6 www.solis-energy.com 3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 Clifton Karachi-Pakistan





Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6 w 3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 Clifton Karachi-Pakistan

Interconnection with National Grid

Not Applicable. Since, this plant is not connected to the national grid.



INFRASTRUCTURE

Lahore

1 MWp Solar PV On-Grid system is to be installed at the allocated space in Lahore Cantt. The designing of the system is done by considering total available area, minimum and maximum operating load and synchronizing voltage. Main objective of installing solar plant is to minimize the electricity utilization from the grid and revert the extra generated units from solar to the grid.

ROUTE MAP: LAHORE CITY TO SITE



Solis Bravo Energy (Pvt.) LtdT +92(21)3529 4301-63rd Floor, Horizon Vista, Block-4,F +92(21)35294311Clifton Karachi-PakistanF



Okara

3 MWp Solar PV On-Grid system is to be installed at the allocated space in cantonment area of Okara. The designing of the system is done by considering total available area, minimum and maximum operating load and synchronizing voltage. Main objective of installing solar plant is to minimize the electricity utilization from the grid and revert the extra generated units from solar to the grid.



ROUTE MAP: MULTAN TO SITE

Solis Bravo Energy (Pvt.) LtdT +92(21)3529 4301-63rd Floor, Horizon Vista, Block-4,F +92(21)35294311Clifton Karachi-PakistanF



Project cost, information regarding sources and amounts of equity, debt.

Feasibility & Financing:

The project at Lahore Cantt up to 1 MW will cost approximately PKR 90,535,795.

Lahore Cantt up to 1 MW							
Project Cost	PKR						
EPC	89,512,135						
Insurance During Construction	129,357						
САРЕХ	89,641,492						
Financing Fee	181,071						
Interest During Construction	713,232						
PROJECT COST	90,535,796						
Equity	18,107,275						
Debt	72,428,521						

The project at Okara Cantt up to 3 MW will cost approximately PKR 271,607,387.

Okara Cantt up to 3 MW							
Project Cost	PKR						
EPC	268,536,405						
Insurance During Construction	388,072						
CAPEX	268,924,477						
Financing Fee	543,214						
Interest During Construction	2,139,696						
PROJECT COST	271,607,387						
Equity	54,321,825						
Debt	217,285,562						

Solis Bravo Energy (Pvt.) Ltd T +92(21)3529 4301-6

www.solis-energy.com

3rd Floor, Horizon Vista, Block-4, F +92(21)35294311 **Clifton Karachi-Pakistan**



The total project will cost approximately **PKR 362,143,183.**

Project Cost	PKR
EPC	358,048,540
Insurance During Construction	517,429
САРЕХ	358,565,969
Financing Fee	724,285
Interest During Construction	2,852,928
TOTAL PROJECT COST	362,143,183
Equity	72,429,100
Debt	289,714,083



PROJECT COMMENCEMENT AND COMPLETION

The project completion time would be 6 months, covering all the sites of the project. The expected Commercial Operation Date (COD) is 26th February 2020.

Major activities of the project involve, Detailed Engineering Design, Procurement of local and Imported Equipment, and Construction involving Civil, Mechanical and Electrical Works.

S#.	Milestone	Timeline
1.	Detailed Design	Jun, 2019
2.	Equipment's Procurement	Jun, 2019 – Dec, 2019
3.	Project Construction	Aug, 2019 – Feb, 2020
4.	Commissioning	Feb, 2020
5.	Testing	Feb, 2020

ENVIRONMENTAL REPORT OF LAHORE CANTT



TABLE OF CONTENTS

TABLE (OF CONTENTS	2			
LIST OF	LIST OF FIGURES				
LIST OF	LIST OF TABLES				
EXECUT	IVE SUMMARY	6			
1 IN		7			
1.1	PROJECT BACKGROUND AND JUSTIFICATION	7			
1.2	Description of the Project	7			
1.3	Project Location	7			
2 PR	OSPECTS OF SOLAR ENERGY IN PAKISTAN	10			
2.1	Road Access to the Project Site	11			
3 Ba	seline Conditions	14			
3.1	Topography	14			
3.2 3.2 3.2 3.2	Climatic Conditions	15 15 20 21			
3.3	Hydrology	22			
3.4	Seismic Hazards	23			
3.5	Socio-Economic Conditions	24			
3.6	Ecology	25			
4 Po	tential Environmental Impacts and Mitigation Measures	26			
4.1	Impact on Air Quality	26			
4.2	Impact on Noise Quality	26			
4.3	Impact on Water Use and Quality	27			
4.4	Impact on Groundwater Contamination	27			
4.5	Impact on Land Use	28			
4.6	Impact on Biological Environment	28			
4.7	Impact on Solid Waste	28			
5 Ins	titutional Requirement and Environmental Monitoring Plan	30			
5.1	Preconstruction Phase	30			

5.	2 Construction Phase		30
5.	3 Operational Phase		31
6	Findings and Recomn	endations	32

LIST OF FIGURES

Figure 1.1: Location of Project Site	8
Figure 1.2: Overview of Project Site (Picture-1)	9
Figure 1.3: Overview of Project Site (Picture-2)	9
Figure 2.1: Solar Resource Potential Map of Pakistan	11
Figure 2.2: Orientation of Project Site from Lahore	12
Figure 2.3: Orientation of Project Site from Lahore (Arial Distance)	12
Figure 3.1: Topographic Map of Project Area	15
Figure 3.2: Graphical representation of Temperature	
Figure 3.3: Graphical representation of Average Rainfall	
Figure 3.4: Maximum Temperature Regime Map of Pakistan	
Figure 3.5: Minimum Temperature Regime Map of Pakistan	19
Figure 3.6: Precipitation Map of Pakistan	
Figure 3.7: Graphical representation of average wind speed in Lahore	
Figure 3.8: Graphical representation of average relative humidity in Lahore	
Figure 3.9: Seismic Map of Pakistan	

LIST OF TABLES

Table 3.1: Temperature Statistics for Lahore District in 2018	16
Table 3.2: Rainfall Statistics for Lahore District in 2018	17

EXECUTIVE SUMMARY

GHQ-Military Engineering Services (MES) is interested to install Solar PV Panels on the Ground Mounted structure with capacity of 1.0 MW in Lahore Cantt. Around 3080 polycrystalline (Tier 1 Manufactured) PV panels will be installed with power rated of 330 Wp and the capacity factor is approximately 16.66%. the total energy generation will around 1.48 Million kWh.

The Military Engineering Services (MES)- GHQ wants to decrease the electricity utilization from conventional grid due to cost-saving. Under these circumstances, GHQ has decided to switch the maximum load on Solar PV System that will produce the cheaper units than the conventional grid units.

CHAPTER 1

INTRODUCTION

1 INTRODUCTION

1.1 PROJECT BACKGROUND AND JUSTIFICATION

The project sponsor is GHQ-Military Engineering Services (MES). The sponsors of the company will be interested to install the solar PV plant to generate electricity. GHQ-Military Engineering Services (MES) intends to install a Grid-Tie Solar PV Power Plant at different location in their premises, by which they can reduce the electricity consumption from the conventional grid and use the Solar generated units for running the load of 1 MW Solar PV Plant has been designed for Lahore which will get synchronize with the conventional 11 KV Grid already present at the site. The site is located at Lahore Cantt in the province of Punjab.

1.2 Description of the Project

The project company will be installed 1.0 MW of Solar PV plant in Lahore Cantt to produce electricity. The total area of the project is around 3.23 acres for the installation of PV panels. The project area is already a developed area and the solar PV panels will be installed with Ground Mounted structure in Lahore Cantt.

1.3 Project Location

The proposed project site lies between 31°32'54.94"N and 74°25'59.76"E and location in Lahore Cantt, Lahore-Punjab. It is around 12.5 kilometers away from Lahore City. The land area of project site is 3.23 acres located near Lahore Ring Road. The project land is owned by the project company for the installation of 1.0 MW Solar PV plant. The location of site can be viewed in **Figure 1.1** and overview of the project site is shown in **Figure 1.2**.



Figure 1.1: Location of Project Site



Figure 1.2: Overview of Project Site (Picture-1)



Figure 1.3: Overview of Project Site (Picture-2)

CHAPTER 2

SOLAR ENERGY IN PAKISTAN

2 PROSPECTS OF SOLAR ENERGY IN PAKISTAN

Solar energy has excellent potential in areas of Pakistan that receive high levels of solar radiation throughout the year. Every day, for example, the country receives an average of about 19 Mega Joules per square meter of solar energy. Pakistan being in the Sun Belt is ideally located to take advantage of solar energy technologies. This energy source is widely distributed and abundantly available in the country. The mean global irradiation falling on horizontal surface is about 200-250 watt per sq.m in a day. This amounts to about 2500-3000 sun shine hours and 1.9 - 2.3 MWh per sq.met in a year. It has an average daily global insolation of 19 to 20 MJ/sq.met per day with annual mean sunshine duration of 8 to 8.5 hours (6-7hrs in cold and 10-12 hrs in hot season) and these values are among the highest in the world. For daily global radiation up to 23MJ/m2, 24 (80%) consecutive days are available in this area for solar energy. Such conditions are ideal for solar thermal applications.

To summarize, the sun shines for 250-300 days per years in Pakistan with an average sun shine hour of 8-10 per day. This gives huge amount of energy to be used for electricity generation by solar thermal power plants. A quick potential of solar energy in Pakistan can be obtained from the map of solar energy resource released by World Bank Group from 1999 to 2016 as shown in **Figure 2.1**.





2.1 Road Access to the Project Site

The Project site is easily accessible throughout the year. The Lahore-Islamabad motorway (M2) and N-5 G.T Road AH-1 are the major connecting roads to the Project site, and also the Lahore Ring Road is connected to the project site. The total distance from Lahore to the project site through Amjad Chaudry road towards Ring Road is approximately 12.8km and from Canal Bank Road is around 17.9km to the project site as shown in **Figure 2.2**.



Figure 2.2: Orientation of Project Site from Lahore



Figure 2.3: Orientation of Project Site from Lahore (Arial Distance)

The planned movement from Port Qasim to the site will be through the National and Super highways. The major section of the track from Karachi to the site is a multi-lane road, having a relatively flat terrain.

CHAPTER 3

BASELINE CONDITIONS

3 Baseline Conditions

The Baseline condition includes the different parameters which covers under this study are topography, climatic conditions, hydrology, biological conditions, socio-economic environment and seismic hazards.

3.1 Topography

Lahore lies between 31°15′—31°45′ N and 74°01′—74°39′ E, the second largest city of Pakistan and the capital of Punjab province. It lies 811 miles (1,305 km) northeast of Karachi in the upper Indus plain on the Ravi River, a tributary of the Indus. Lahore is bounded on the north and west by the Sheikhupura District, on the east by Wagah, and on the south by Kasur District. The Ravi River flows on the northern side of Lahore. Lahore city covers a total land area of 404 square kilometres (156 sq mi). at 213.97 meters (702 ft) above sea level.

Lahore is generally flat and slopes towards south and south-west at an average gradient of 1:3000. It can be divided into two parts i.e. the low-lying area along River Ravi and the comparatively upland area in the east away from Ravi. The low lands are generally inundated by the river water during monsoon floods. River Ravi flows in the west of Lahore District forming a boundary with Sheikhupura District. Lahore city lies on the alluvial plain soil called Bari Doab. Doab is a local word for area between rivers. Bari Doab is a part of the Indo-Gangatic alluvial plain formed by the Indus river and its tributaries. It is bounded by Ravi and Chanab rivers in the northwest and west and by Sutlej river in the southeast. Northeastern boundaries of Doab lie near the foothills of the Himalayan Ranges. Lahore city is situated at an average elevation of 210 meters above mean sea level. The alluvial subsoils are of late Pleistocene and were formed by the flood plains of river Ravi. These consist of clay, silt and sand. The thickness of clay increases with distance from the river bed. Topographic map of Lahore derived from satellite mapping is shown in **Figure 3.1**.



Figure 3.1: Topographic Map of Project Area

3.2 Climatic Conditions

3.2.1 Temperature & Rainfall

Lahore has a semi-arid climate, with extremely hot summers and cool winters. There is a monsoon season between July and September. Lahore's spring season is between February and April, and this is generally considered a very pleasant time. The flowers are in bloom, yet the temperatures are bearable. Daily highs in February begin at a pleasant 22°C, with overnight temperatures of 9°C being a little on the chilly side. The city warms up very quickly, however, and by the end of April daily highs are averaging 34°C with nights already a sultry 20°C. There's very little rainfall during the spring months. The summer season lasts from the month of May to October for almost six months, while the weather is pleasant and cold from November to February. May and June are the hottest months. The monsoon rains hit Lahore in July, August and September, with July being the wettest month. The temperatures are still very high,

averaging 37°C during the day and 27°C at night, so the rains come as some relief from the burning heat. October and November are the autumn months in Lahore, and this is a popular season for tourists. The heat dissipates a little, with average daily highs of around 30°C and the nights are considerably cooler, reaching as low as 12°C by the end of November. In winters, average daily highs are in the region of 22°C in December, January and February, and nights can feel cold at around 6°C. It can be very foggy - and the fog can linger for days or even weeks at a time. The highest rainfall records only in June is about 58.76 millimetres, which is highly seasonal since approximately half of the yearly rainfall takes place also in July and August during the monsoon season.

Lahore has 7-8 hours of sunshine daily on average. As there will be no rise in temperature due to reflections of the panels on the atmosphere because the panels are lined with anti-reflection coating (ARC) on the surface which help to reduce the reflection of the panels to almost zero. Adopted measures during rain and sandstorm are to generate or produce electricity is to be reduced. The detailed temperature data are given in **Table 3.1** taken from metronome 7.7 and graphical presentation in given in **Figure 3.2**.

ltem	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Average Temperature(°C)	11.4	15.7	21.5	26.7	32.3	32.1	30.9	30.3	28.1	24.7	17.9	13.3

Table 3.1: Temperature Statistics for Lahore District in 2018


Figure 3.2: Graphical representation of Temperature

The detailed average annual rainfall data are given in **Table 3.2** and graphical presentation in given in **Figure 3.3**.

ltem	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Average Precipation (mm)	0.96	11.26	7.01	10.41	16.24	58.76	30.97	12.32	7.73	1.2	1	10.9
Days	1	2	4	10	6	8	8	6	4	2	2	2

Table 3.2: Rainfall Statistics for Lahore District in 2018



Figure 3.3: Graphical representation of Average Rainfall

Maximum and Minimum Temperature Regime Map of Pakistan is shown in **Figure 3.4**, **Figure 3.5** & **Figure 3.6**.



Figure 3.4: Maximum Temperature Regime Map of Pakistan



Figure 3.5: Minimum Temperature Regime Map of Pakistan



Figure 3.6: Precipitation Map of Pakistan

3.2.2 Wind Speed

The wind experienced at any given location is highly dependent on local topography and other factors, and instantaneous wind speed and direction vary more widely than hourly averages. The average hourly wind speed in Lahore experiences mild seasonal variation over the course of the year. Westerly breeze dominates the afternoons, while the nights are calm. South east / easterly winds are common here during the monsoon season. Lahore, being in the plains, can experience severe thunderstorms and high wind gusts that can be damaging to its crops.

Wind in Lahore is usually **calm**. The windiest month is June, followed by May and July. June's average wind speed of around 3.11m/s is considered "a light breeze." Maximum sustained winds (the highest speed for the day lasting more than a few moments) are at their highest in late June where average top sustained speeds reach 3.11m/s. The average wind speed on yearly basis are given below in **Figure 3.7**.



Figure 3.7: Graphical representation of average wind speed in Lahore

3.2.3 Relative Humidity

Lahore experiences extreme seasonal variation in the perceived humidity. Lahore is semi-arid region; the humidity is high. Lahore has some humid months, and dry months in the opposite season. The least humid month is April & May and the most humid month is August (71.6%). Average annual humidity is given in **Figure 3.8**.



Figure 3.8: Graphical representation of average relative humidity in Lahore

3.3 Hydrology

Good quality potable water is a fundamental requirement for human health and survival. Due to fast growth of population, poor town planning and industrialization causing problems in supplying public services, water being one of the most affected. It is becoming difficult for local authorities dealing with water supply to cope with the increasing demands. Lahore is the second largest city of Pakistan. Its population is increasing at a rapid rate of 3.7 percent per year. In 1901 the population of Lahore was 0.203 million which by 1990 increased to about 4.232 in the Municipal Area (excluding some localities like GOR, Railways, Model Town, colonies in the suburbs etc). At present its population is more than 5.1 million. Water supply of Lahore City has been based on the abstraction of groundwater. Fast growth of population, progressive migration of people to the area and establishment of numerous industries has resulted in rapid increase in water demand. The number of wells and hence, the groundwater abstraction has been increasing in accordance with the growth of population and socio-economic uplift of urban dwellers. On the other hand, urbanization and industrialization has reduced the recharge, as significant proportion of the land has become impermeable. With the increasing number of tube wells, the groundwater, which used to exist at about 4.5 m started declining rapidly. At present, the water table in the central area of the city has deepened to 28 m from

the surface level. Due to the continued decline in water table, the groundwater is going out of easy reach for exploitation and the cost of pumping is continuously rising.

Lahore area is underlain by unconsolidated alluvial deposits of quaternary age. The aquifer is composed of unconsolidated alluvial complex formed by the contemporaneous filling of a subsiding trough - a foredeep adjacent to the rising Himalayan ranges. Contemporaneous filling and subsidence have given rise to an extensive sedimentary complex of more than 400 meters thickness. The sediments have been deposited by the present and ancestral tributaries of the Indus River during Pleistocene-Recent periods. In accordance with its mode of deposition by large streams in constantly shifting channels, the alluvial complex is heterogeneous and individual strata have little lateral or vertical continuity. However, in spite of their heterogeneity, the alluvial sediments constitute a large aquifer, which on regional basis behaves as a homogeneous aquifer. The individual lenses of silt and clay do not impede the flow of groundwater, considering long-term pumping

The source of water supply for Lahore is only groundwater. Groundwater is abstracted through 300 large capacity tube wells installed at various locations in the Lahore Municipal Area. There are four main well centers, three near the Bund Road (Old Ravi Well Center, National Ravi Park Well Center, Bhogiwal Well Center), and the fourth located at Bund Road to the North of Shalimar Garden. The remaining wells are located throughout the city area, and all wells pump directly to the system, thus eliminating the need for a reservoir. Some more tube wells are being installed to meet maximum day demand. In addition, numerous private owned shallow pumps also exist. The water obtained from deep boreholes is fortunately of good quality. It does not require primary treatment. However, often secondary treatment i.e. chlorination is provided especially in the rainy season. The water produced through these tube wells is fed into Main Grid with pipes having diameters from 40 to 80 cm. The Main Grid feeds water to distribution system with pipes which have diameters ranging from 7.5 to 30 cm. The distribution system supplies the water to citizens through house connections. Presently no elevated reservoir is in use except the one million-gallon overhead reservoir at Langey Mandi. The reservoirs are used in new developing schemes where water demand is less and reservoir is filled once to meet the day demand.

3.4 Seismic Hazards

According to Seismic Zoning map of Pakistan, Project area falls in Zone 2A which is minor to moderate damage area. There is no earthquake recorded in the history of region above Richter



scale 4.5. Also, no damage to the infrastructure and human settlement is reported in the area. Map is shown in **Figure 3.9.**

Figure 3.9: Seismic Map of Pakistan

3.5 Socio-Economic Conditions

Lahore is the capital of the Pakistani province of Punjab. Lahore is the country's second-most populous city after Karachi and is one of Pakistan's wealthiest cities, with an estimated GDP of \$58.14 billion (PPP) as of 2015.

Lahore is the largest city, and historic cultural center of the Punjab region, and one of Pakistan's most socially liberal, progressive, and cosmopolitan cities. Lahore exerts a strong cultural influence over Pakistan. Lahore is a major center for Pakistan's publishing industry, and remains the foremost center of Pakistan's literary scene. The city is also a major center of education in Pakistan, with some of Pakistan's leading universities based in the city. Lahore is also home to Pakistan's film industry.

The city also hosts much of Pakistan's tourist industry, with major attractions including the Walled City, the famous Badshahi and Wazir Khan mosques and Sikh shrines. Lahore is also home to the Lahore Fort and Shalimar Gardens, both of which are UNESCO World Heritage Sites. The results of the 2017 Census determined the population to be at 11,126,285, with an annual growth rate of 4.07% since 1998. Gender-wise, 52.35% of the population is male, while 47.64% is female, and transgender people make only 0.01% of the population. Lahore is a young city with over 40% of its inhabitants below the age of 15. The average life expectancy stands at less than 60 years of age.

3.6 Ecology

The main crops are wheat, cotton, rice, sugarcane, maize, oilseeds, pulses, fruits, vegetables, spices, fodders and a large range of other crops. The dominant tree species are Eucalyptus, Poplar, Weeping Willow, Jaman and Mango. The wildlife of the district includes foxes, boars, jackals and wild cats. Among the birds, there are usually Yellow-footed Green Pigeon, Grey Hornbill, Little-brown Dove, Ring Dove, Rose-ringed Parakeet, Alexandrine Parakeet and Little-green bee eater. When the Solar PV panels will be installed on the ground mounted structure there is no or minor Flora and Fauna is going to be disturbed due to execution of this project.

ENVIRONMENTAL IMPACTS AND MITIGATION MEASURES

4 Potential Environmental Impacts and Mitigation Measures

The project may have environmental impact during construction and operation phase of the project. During construction phase, the impacts may be temporary and short term while long term impacts may be observed during the operational phase of the project. The project has positive impacts overall by providing a competitive, pollution free and cost effective. It may also meet the increasing demand of power and reduce the gap between demand and supply of power.

The construction and operation phase of the proposed project comprises various activities each of which may have an impact on environmental parameters. The impacts of the project are envisaged during the design and planning, during pre-construction phase, construction phase.

4.1 Impact on Air Quality

As the proposed project is Solar PV project, the impact during construction of project is expected to be minimal as a Greenfield Project plant. Particulate matter in the form of dust would be the predominant pollutant affecting the air quality during the construction phase. Dust will be generated mainly through the movement of vehicles (transportation activities). Minor excavation and back filling are required because the PV panels will install on vacant land. The main source of gaseous emission during the construction phase is movement of equipment and vehicles at site. Equipment deployed during the construction phase is also likely to result in marginal increase in the levels of SO2, NOX, and particulate matter. The impact is reversible, marginal and temporary in nature.

4.2 Impact on Noise Quality

The major noise generating sources during the construction phase are vehicular traffic, construction equipment like; generators, compressors, vibrators etc. The operation of this

equipment will generate noise ranging between 75 - 90 dB (A). As noise generated during construction phase of the project is low and within the Limits of NEQ's. As there is no human settlements and villages near the project vicinity so overall, the impact of generated noise on the environment during construction period is insignificant, reversible and localized in nature.

4.3 Impact on Water Use and Quality

The construction personnel would be housed in temporary settlements or settlements provided by the project sponsors. These settlements would discharge considerable amount of domestic wastewater. Stagnant pools of water would increase breeding of mosquitoes and generally create insanitary conditions. The main pollutants are organic components and microorganisms with the potential to cause contamination of water quality. To address potential impacts on water quality, disinfected washroom (e.g., through regular liming) will be used as main component of the sanitation system. As the PV panels will be installed on vacant land so minor use of water during construction phase of the project and overall no impact on water use and its quality.

4.4 Impact on Groundwater Contamination

There is no harm to the ground water due to construction of PV project because panels will be installed on the Ground but require little excavation to fix the structure and the project site is already developed in premises of Cantt area. There is no impact on the Ground water.

Ground water due to plant operation will be drawn during operation phase for any purpose. There shall be minimal discharge of wastewater from cleaning of Solar PV modules. The wastewater emanating from cleaning operations shall be recycled or used for plantation around the plant. For 01 MW, one vehicle of water is required for the cleaning and duration of the cleaning for 1.0 MW is required approximately 01 or 02 days. For 01 MW, approximately 15000 liters of water is required for washing of panels and on monthly basis and the process will be done on monthly basis.

During the operation & maintenance period, natural underground water can be used for cleaning the modules with manual washing. The water for cleaning the module doesn't include any chemical agents, so the untreated underground water will be used for cleaning. Based on our project circumstances, modules shall be cleaned one in every month. The water supply

system will be installed along the solar panel array and will be used by the cleaning staff to use the tap water for manual cleaning.

4.5 Impact on Land Use

The mobilization of construction equipment and construction materials will require space for storage and parking of construction vehicles and equipment, construction material storage yards, disposal sites, and labor camps for human resource to avoid environmental impact and public inconvenience. The total land available for the Project is 3.23 acres. At the Project site, there has been an absence of the following since the past few decades:

- Any agricultural activity on the land
- Any field, wetland or protected area.

Overall, there will be no impact on the land use. There is minor excavation require for the piling and adjust the mounting structure and a small chunk of land is required for the space of storage of equipment, construction material and waste handling which have a no or minor impact and will be temporary only in construction phase.

4.6 Impact on Biological Environment

The project site is already developed land and there is no harm to the biological environment for the installation of PV plant. There will be no impact on flora and fauna of the project area. Thus, the site development works would not lead to any significant loss of important species or ecosystems. Only few trees will be replaced during clearing of land and will be replanted a new plant in project vicinity.

4.7 Impact on Solid Waste

Solid waste during the construction phase consists primarily of excess concrete and cement, rejected components and materials, packing and shipping materials (pallets, crates, Styrofoam, plastics etc.) and human waste. During the construction there will be generation of garbage, for which designated practices of solid waste disposal shall be followed. Solid waste disposal will be done as follows;

- ✤ A waste inventory of various waste generated will be prepared and periodically updated.
- The excavated material generated will be reused for site filling and leveling operation to the maximum extent possible
- The scrap metal waste generated from erection of structures and related construction activities will be collected and stored separately in a stack yard and sold to local recyclers.
- Food waste and recyclables viz. paper, plastic, glass etc will be stored in designated waste bins/containers. The recyclables will be periodically sold to local recyclers while food waste will be disposed through proper waste handling mechanism.
- Hazardous waste viz. waste oil etc will be collected and stored in paved and bounded area and subsequently sold to authorized recyclers.

The complete details of scrap metal details will be given as; scrap metal waste generated from erection of structures and related construction activities will be collected and stored separately in a stack yard and sold to local recyclers as per to manage the solid waste handling team. A separate yard area will be allocated for storing the waste material as per the required industrial practice. Also, approved contractor will be hired for the recycling of waste appropriately during construction phase. Waste handling agency will be hired at the start of project construction to manage the waste generating during the construction and operational phase of the plant and the practices used for handling the waste disposal to manage proper waste management through different mechanisms like, make a proper dumping site for the disposal of waste, handling of waste. The wastes which are recyclable are sold to the external contractors and the non-hazardous waste will be dumped through municipal waste collection system and services. The solid waste will be dumped away from the project site and where nearby no settlements or any other affected environment is present. It may the proper dumping site that is used for local municipality. Although the PV cells will not be disposed but sent back under as warranty is for 25 years.

There are some solid wastes in the project site, including the packing material for the equipment, like the wooden pallets and carton boxes. Solid waste management plan will be followed third party EPA certified contractor will be hired for disposal of solid waste (No Impact).

INSTITUTIONAL REQUIREMENT AND ENVIONMENTAL MONITORING PLAN

5 Institutional Requirement and Environmental Monitoring Plan

During the construction and operation of PV Project, the project company will comply all the rules and regulations of EPA and the standard practices as well as NEQs standards. And implement the environmental mitigation and monitoring plan during construction of the project. Environmental Management and Monitoring Plan provides the mechanism to address the adverse environmental as well as social impacts of the proposed project during its execution, to enhance project benefits, and to introduce standards of good practice to be adopted for all project works.

The main purpose of Environmental Monitoring Plan is to provide a detailed summary of the predicted impacts associated, mitigating measures and monitoring actions so as to minimize potential negative impacts and enhance positive impacts from the Project.

5.1 **Preconstruction Phase**

During pre-construction phase of the project, a field survey was conducted by the team to identify the potential impacts and address into the monitoring plan to mitigate their affects to the project and the surrounding environment. Define the roles and responsibilities for those who involved in the implementation of the EMP during construction. Also define the implementation mechanism for the mitigation measures identified during the present study.

5.2 **Construction Phase**

During construction phase of the project, a solid waste will be handled properly as per the standard industrial practices and dumped into the proper waste disposal sites which are already identified. Provide safety trainings to the workers who works during the construction phase. Provide instructions to project personnel and contractors regarding procedures for

protecting the environment and minimizing environmental impact during construction of the project.

5.3 **Operational Phase**

During operational phase, the environment and social impact will be minimum as there is no dust and any gaseous emission from the plant. Only the waste water that used for the cleaning mechanism of PV panels will be generated and will be handled properly as per the standards. Also provide trainings and awareness sessions rising on the environmental and social issues related to power transmission projects to the project. Ensure the legal compliance properly during O & M phase of the project.

FINDINGS AND RECOMMENDATIONS

6 Findings and Recommendations

The Project will be the replacement of conventional power generation with renewable energy. Solar energy will replace fossil fuel powered generation, and therefore reduce suspended particulate matter and greenhouse gas emissions into the atmosphere.

The project is cost effectively and environmental impacts are likely to be minimum in result from the proposed Power project. Careful mitigation and monitoring, specific selection criteria and review/assessment procedures have been specified to ensure that minimal impacts will take place. The detailed design would ensure inclusion of any such environmental impacts that could not be specified or identified at this stage are taken into account and mitigated where necessary. Those impacts can be reduced through the use of mitigation measures such as correction in work practices at the construction sites, or through the careful selection of sites and access routes. As proposed land is already the developed land and PV panels will be installed on the Ground mounted structure and there is no or minimum harm to the natural environment or any biological habitat.

Based on the environmental and social assessment and survey conducted for the Project, the potential adverse environmental impacts can be mitigated to an acceptable level by adequate implementation of the mitigation measures identified during visit. Adequate provisions are being made in the Project to cover the environmental mitigation and monitoring requirements, and their associated costs.

ENVIRONMENTAL REPORT OF OKARA CANTT



TABLE OF CONTENTS

TABLE (OF CONTENTS	2					
LIST OF	LIST OF FIGURES						
LIST OF	TABLES	5					
EXECUT	IVE SUMMARY	6					
1 IN		7					
1.1	PROJECT BACKGROUND AND JUSTIFICATION	7					
1.2	Description of the Project	7					
1.3	Project Location	7					
2 PR	OSPECTS OF SOLAR ENERGY IN PAKISTAN	10					
2.1	Road Access to the Project Site	11					
3 Ba	seline Conditions	14					
3.1	Topography	14					
3.2 3.2 3.2 3.2	Climatic Conditions	15 15 19 20					
3.3	Hydrology	21					
3.4	Seismic Hazards	22					
3.5	Socio-Economic Conditions	23					
3.6	Ecology	25					
4 Po	tential Environmental Impacts and Mitigation Measures	26					
4.1	Impact on Air Quality	26					
4.2	Impact on Noise Quality	26					
4.3	Impact on Water Use and Quality	27					
4.4	Impact on Groundwater Contamination	27					
4.5	Impact on Land Use	28					
4.6	Impact on Biological Environment	28					
4.7	Impact on Solid Waste	28					
5 Ins	titutional Requirement and Environmental Monitoring Plan	30					
5.1	Preconstruction Phase	30					

5	.2	Construction Phase	30	0
5	.3	Operational Phase		1
6	Fine	dings and Recommenda	ons 32	2

LIST OF FIGURES

Figure 1.1: Location of Project Site	8
Figure 1.2: Overview of Project Site (Picture-1)	9
Figure 1.3: Overview of Project Site (Picture-2)	9
Figure 2.1: Solar Resource Potential Map of Pakistan	11
Figure 2.2: Orientation of Project Site from Okara	12
Figure 2.3: Orientation of Project Site from Okara (Arial Distance)	13
Figure 3.1: Topographic Map of Project Area	15
Figure 3.2: Graphical representation of Temperature	16
Figure 3.3: Graphical representation of Average Rainfall	17
Figure 3.4: Maximum Temperature Regime Map of Pakistan	18
Figure 3.5: Minimum Temperature Regime Map of Pakistan	18
Figure 3.6: Precipitation Map of Pakistan	19
Figure 3.7: Graphical representation of average wind speed in Okara	20
Figure 3.8: Graphical representation of average relative humidity in Okara	21
Figure 3.9: Seismic Map of Pakistan	23

LIST OF TABLES

Table 3.1: Temperature Statistics for Okara in 2018	. 16
Table 3.2: Rainfall Statistics for Okara District in 2018	. 17

EXECUTIVE SUMMARY

GHQ-Military Engineering Services (MES) is interested to install Solar PV Panels on the Ground Mounted structure with capacity of 3.0 MW in Okara. Around 9128 polycrystalline (Tier 1 Manufactured) PV panels will be installed with power rated of 330 Wp and the capacity factor is approximately 16.68%. the total energy generation will around 4.4 Million kWh.

The Military Engineering Services (MES)- GHQ wants to decrease the electricity utilization from conventional grid due to cost-saving. Under these circumstances, GHQ has decided to switch the maximum load on Solar PV System that will produce the cheaper units than the conventional grid units.

INTRODUCTION

1 INTRODUCTION

1.1 PROJECT BACKGROUND AND JUSTIFICATION

The project sponsor is GHQ-Military Engineering Services (MES). The sponsors of the company will be interested to install the solar PV plant to generate electricity. GHQ-Military Engineering Services (MES) intends to install a Grid-Tie Solar PV Power Plant at different location in their premises, by which they can reduce the electricity consumption from the conventional grid and use the Solar generated units for running the load of 3.0 MW Solar PV Plant has been designed for Okara Cantt which will get synchronize with the conventional 11 KV Grid already present at the site. The site is located at Okara in the province of Punjab.

1.2 Description of the Project

The project company will be installed 3.0 MW of Solar PV plant in Okara to produce electricity. The total area of the project is around 10.09 acres for the installation of PV panels. The project area is already a developed area and the solar PV panels will be installed with Ground Mounted structure in Okara.

1.3 **Project Location**

The proposed project site lies between 30°45'17.59"N and 73°21'22.19"E and located in Okara, Punjab. It is around 11.4 kilometers away from Okara City. The land area of project site is 10.09 acres located near Runway Road, Okara Cantt. The project land is owned by the project company for the installation of 3.0 MW Solar PV plant. The location of site can be viewed in **Figure 1.1** and overview of the project site is shown in **Figure 1.2**.



Figure 1.1: Location of Project Site



Figure 1.2: Overview of Project Site (Picture-1)



Figure 1.3: Overview of Project Site (Picture-2)

SOLAR ENERGY IN PAKISTAN

2 PROSPECTS OF SOLAR ENERGY IN PAKISTAN

Solar energy has excellent potential in areas of Pakistan that receive high levels of solar radiation throughout the year. Every day, for example, the country receives an average of about 19 Mega Joules per square meter of solar energy. Pakistan being in the Sun Belt is ideally located to take advantage of solar energy technologies. This energy source is widely distributed and abundantly available in the country. The mean global irradiation falling on horizontal surface is about 200-250 watt per sq.m in a day. This amounts to about 2500-3000 sun shine hours and 1.9 - 2.3 MWh per sq.met in a year. It has an average daily global insolation of 19 to 20 MJ/sq.met per day with annual mean sunshine duration of 8 to 8.5 hours (6-7hrs in cold and 10-12 hrs in hot season) and these values are among the highest in the world. For daily global radiation up to 23MJ/m2, 24 (80%) consecutive days are available in this area for solar energy. Such conditions are ideal for solar thermal applications.

To summarize, the sun shines for 250-300 days per years in Pakistan with an average sun shine hour of 8-9 per day. This gives huge amount of energy to be used for electricity generation by solar thermal power plants. A quick potential of solar energy in Pakistan can be obtained from the map of solar energy resource released by World Bank Group from 1999 to 2016 as shown in **Figure 2.1**.



Figure 2.1: Solar Resource Potential Map of Pakistan

2.1 Road Access to the Project Site

The Project site is easily accessible throughout the year. The Lahore-Abdul Hakeem Motorway (M-3) and N-5 G.T Road (Multan Road) AH-2 are the major connecting roads to the Project site, and also the Runway Road (Okara Cantt) is connected to the project site. The total distance from Lahore to the project site through N-5 towards Runway Road is approximately 145 kms and from Multan to project site is around 209km to the project site as shown in **Figure 2.2**.



Figure 2.2: Orientation of Project Site from Okara



Figure 2.3: Orientation of Project Site from Okara (Arial Distance)

The planned movement from Port Qasim to the site will be through the National and Super highways. The major section of the track from Karachi to the site is a multi-lane road, having a relatively flat terrain.

BASELINE CONDITIONS

3 Baseline Conditions

The Baseline condition includes the different parameters which covers under this study are topography, climatic conditions, hydrology, biological conditions, socio-economic environment and seismic hazards.

3.1 **Topography**

Okara lies between 30°48'32.68"N and 73°27'2.71"E. Okara District is a district of Punjab, Pakistan. It is located on Multan Road some 110km from Lahore. The city is located southwest of the city of Lahore 110km and Faisalabad is 100 km by passing away Ravi River. It is known for its agriculture-based economy and cotton mills. The nearest major city to Okara is Sahiwal, formerly known as Montgomery. Okara District lies on Radcliffe line/Indo-Pakistani border, therefore its geographic importance for defense is high.

Okara is a relatively new agricultural city developed by the British at the former site of the Okaan Jungle. Like other intermediate cities in Punjab, Okara is expanding in a haphazard manner with the absence of a master plan. On the Northern and Western sides of Okara, the Lower Bari Doab Canal presents a natural barrier to the physical growth of the City. As such, most of the recent developments are occurring toward the South. Okara city is a plain with a minor slope. The shallow sub soil water of the town is brackish and unfit for human consumption.

Okara city is situated at an average elevation of 182 meters above mean sea level. These consist of clay, silt and sand. The thickness of clay increases with distance from the river bed. Topographic map of Okara derived from satellite mapping through GIS software is shown in **Figure 3.1.**



Figure 3.1: Topographic Map of Project Area

3.2 Climatic Conditions

3.2.1 Temperature & Rainfall

Okara is considered to have a desert climate, with very hot summers and cool winters. There is a monsoon season between June, July and August. The average temperature in Okara is 24.5 °C. The climate of Okara is hot in summer and comparatively cold in winter. May and June are the hottest months when temperature rises up to 44 degree centigrade. The Mon-soon starts at the end of June and remains by the middle of September but the average temperature is 36 degree centigrade. January is coldest month with average temperature of 11 degree centigrade. In recent times the highest recorded temperature in June has been 49°C that's 120°F, with the lowest recorded temperature 17°C, about 63°F.

The summer season lasts from the month of May to October for almost six months, while the weather is pleasant and cold from November to February. May and June are the hottest

months. The monsoon rains start in June, July and August being the wettest month. The temperatures are still very high, so the rains come as some relief from the burning heat. The highest rainfall records only in June is about 48.16 millimetres, which is highly seasonal since approximately half of the yearly rainfall takes place also in July and August during the monsoon season.

Okara has 7-8 hours of sunshine daily on average. As there will be no rise in temperature due to reflections of the panels on the atmosphere because the panels are lined with anti-reflection coating (ARC) on the surface which help to reduce the reflection of the panels to almost zero. Adopted measures during rain and sandstorm are to generate or produce electricity is to be reduced. The detailed temperature data are given in **Table 3.1** taken from metronome 7.7 and graphical presentation in given in **Figure 3.2**.

ltem	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Average Temperature(°C)	11.3	15.5	21.2	26.6	32.2	31.9	30.8	30.2	28	24.8	18	13.1

	Table 3.1: Tem	perature Statistic	s for Okara i	in 2018
--	----------------	--------------------	---------------	---------



The detailed average annual rainfall data are given in **Table 3.2** and graphical presentation in given in **Figure 3.3**.

ltem	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Average Precipation (mm)	0	3.09	1.96	3.88	7.25	48.16	16.34	7.59	0.12	0	0.1	3.1
Days	0	3	4	9	3	8	10	5	0	0	1	1

Table 3.2: Rainfall Statistics for Okara District in 2018



Figure 3.3: Graphical representation of Average Rainfall

Maximum and Minimum Temperature Regime Map of Pakistan is shown in **Figure 3.4**, **Figure 3.5** & **Figure 3.6**.



Figure 3.4: Maximum Temperature Regime Map of Pakistan





Figure 3.6: Precipitation Map of Pakistan

3.2.2 Wind Speed

The wind experienced at any given location is highly dependent on local topography and other factors, and instantaneous wind speed and direction vary more widely than hourly averages. Okara being in the plains, can experience severe thunderstorms and high wind gusts that can be damaging to its crops. The average daily wind speed in current month of June has been around 4 km/h, that's the equivalent to about 3 mph, or 2 knots. In recent years the maximum sustained wind speed has reached 74 km/h, that's the equivalent of around 46 mph, or 40 knots.

Wind in Okara is usually calm. The windiest month is June, followed by May and July. June's average wind speed of around 2.69m/s is considered "a light breeze." Maximum sustained winds (the highest speed for the day lasting more than a few moments) are at their highest in late June where average top sustained speeds reach 2.69m/s. The average wind speed on yearly basis are given below in **Figure 3.7**.



Figure 3.7: Graphical representation of average wind speed in Okara

3.2.3 Relative Humidity

Okara experiences extreme seasonal variation in the perceived humidity. Okara is semi-arid region; the humidity is high. Okara has some humid months, and dry months in the opposite season. The least humid month is April &May and the most humid month is August (73.3%). Average annual humidity is given in **Figure 3.8**.


Figure 3.8: Graphical representation of average relative humidity in Okara

3.3 Hydrology

Good quality and potable water are a fundamental requirement for human health and survival. The water supply network covers 60% of the town and serves 70% of the total population. 23 tube wells serve the town, of which 16 are operational and working 10-12 hours per day.1 No plan is being developed to address this issue. Water table in Okara city is 40 to 165 feet and up to this level the water quality is unfit for drinking purposes. From above 165 feet the water quality is good and fit for drinking. Drinking water supply coverage in Okara is better compared to other cities like Rahim Yar Khan, Bahawalpur and Jhang. Okara sub soil water of the city is brackish and unfit for human consumption.

Due to fast growth of population, poor town planning and industrialization causing problems in supplying public services, water being one of the most affected. It is becoming difficult for local authorities dealing with water supply to cope with the increasing demands. The coverage of the sewerage facility is approximately 50%. Of the remaining 50%, 25% is served with an open drain, while the other 25% is totally un-served. There is currently no sewerage treatment. No plan is being developed to address this issue. Municipal Wastewater is being disposed through sewerage system. There is also drainage system exist. Untreated waste water is being utilized by the nearest farmers as well as disposed-off into seepage drain. TMA Okara also sale out

waste water at two places. There is no proper solid waste management system existed. There is no sanitary landfill available. Poor sanitation can be seen in many areas. District Environment Department arranged public awareness campaigns. But still solid waste is not properly handled by Tehsil Municipal Administration as well as Hospitals and clinic etc.

Okara city is a plain with a minor slope. The shallow sub soil water of the town is brackish and unfit for human consumption. Present source of water supply system in the town is with deep Tube wells installed at depth of 165 to 220 feet. Water table is at 45 feet. Most of the town is dependent on TMA water supply. Water supply coverage of the town is about 60%. 16 Tube wells of TMA are installed near LBD Canal. While six tube wells installed near 5/4-L Minor and one tube well is at Bus Stop. Two tube wells under Public Works Department are installed near LBDC to supply water only for Hospital and Girls Collage and officer's colony to feed the present water supply system of the town, there are 23 tube wells out of which10 Tube wells are operational and working 10-12 hours/day. Connections are not metered and consumers pay by norms rather than actual consumption. Consumption is generally excessive and inefficient in relation to uses of water. Piped drinking water is used for firefighting, while non potable ground water is generally available in the city. Piped water is also used extensive for horticulture. No chlorination is done by TMA staff. Bleaching powder solution is used monthly and during the rainy days it is added after 15 days basis There is need to measures the discharge of present tube wells and the additional source capacity needs to be worked out for cater for water shortage and un-served areas. Also, nearly40 % of the population is without piped water supply and people using their own source of water, mostly hand pumps and power pumps. The quality of water from this shallow source is not so good and is mostly contaminated. The average daily water demand is 13,124,400 gallons calculated based on the PHED standard of per capita per day demand (50 gallons/capita/day). Total water production per day is 5,130,000 gallons. So, the present deficiency is 14,556,600 gallons per day.

3.4 Seismic Hazards

According to Seismic Zoning map of Pakistan, Project area falls in Zone 2A which is minor to moderate damage area. There is no earthquake recorded in the history of region above Richter scale 4.5. Also, no damage to the infrastructure and human settlement is reported in the area. Map is shown in **Figure 3.9**.



Figure 3.9: Seismic Map of Pakistan

3.5 Socio-Economic Conditions

District Okara is part of the region that is known as gateway to South Punjab. Home to over 3 million individuals, it has 140 rural union councils and seven Municipal Committees. According to national census of 2017 the total population of the district is 30, 391, 39 from which 22, 073, 49 (73%) population is living in rural areas.

District Okara is bounded on the East by Kasur district, Sahiwal and Pakpattan districts on the West, Sheikhupura and Faisalabad districts on the North and Bahawalnagar district on the South. The Indian border also lies on the South-Eastern side of the district. The district Okara has a total area of 4,377 square kilometers and comprises three tehsils.

The traditional crafts of the district include making of wooden charpai and baan. In Okara city, there is a well-known craft of lacquered wooden legs. The district has a total metalled road-length of 2631.17 Kilometres. The District is linked with Lahore, Kasur, Sahiwal, Pakpattan, Sheikhupura and Faisalabad districts through metalled road. There are 9 grid stations in the district, ranging in capacity from 66 KV to 132 KV. At present there is no industrial estate in the district.

There are about 395 large, medium and some small industrial units in the district. Main crops of district Okara are sugarcane, wheat, rice, maize and cotton. The major industrial units are textile spinning/ weaving mills, sugar mill and a fruit/vegetable processing and confectionery unit. District Okara possesses the potential for the development of textile industry especially power looms units, hosiery, terry towel, canvas cloth, tents/ tarpaulins, bed-wear, sports-wear, etc. Sugar mills related industries such as particle/chip board/veneer board from bagasse, liquid sugar from molasses and polypropylene woven bags for sugar packing also possess good prospects.

Okara have all the basic physical and organizational structures, services and facilities needed and necessary in a city. Like the whole Pakistan, Cricket is the most famous sports in Okara as well. There are two modern Cricket Stadiums (Okara Gymkhana Cricket Ground and Jinnah Cricket Stadium). Okara Gymkhana Cricket ground is a First-Class Cricket venue of Pakistan Cricket Board as it has an all great cricketing facility along with world class cricket pitches. Football, Hockey, Basketball Court, Badminton Arena are also constructed in the heart of City. A new international hockey stadium is being constructed in Renala Khurd Tehsil of Okara, which would be completed by 2013. This stadium will develop a strong infrastructure for hockey in the country.

There are also many small and considerable big parks for the general public. The three main recreational parks are Ladies Park, Bagh-e-Jinnah and District Park. Educational institutes include Education University, Cadet College, Government College for Boy, two Government Colleges for Women. There are also many privately-owned colleges and schools, which are nationally recognized, well built, big and their standard of education is also high as compared nationally.

There are various numerous publics & private hospitals and clinics providing the health services. The popular and well-equipped hospitals are District Government hospital, surgical hospital and C.M.H Okara Cantt. There is also a Social welfare health society which is being operated by the Government of Punjab. Every hospital has more than two ambulances. Located in the village of Rehmpur the Rosary Christian Hospital also provides medical services to Okara and surrounding areas. The 1122 Rescue Government organization is also offering their services in Okara city. There is also a separated Fire station, located in the center of the city, which has several old and also latest fire engines for safety services. Okara also has a vast Railway station, which contains several platforms, where almost every train going from Islamabad to Karachi makes stop. There are two railway underpasses and one flyover which helps in smooth flow of traffic.

3.6 Ecology

The Okara District is famous for its fertile lands, peaceful natural environment and green fields of Potato, tomato, sugarcane, wheat, rice and maize crops. Oranges and Mangoes orchards are famous. Okara District is also famous for the lemon, guava & grapefruit orchards, belonging to the food processing company. The dominant tree species are Ukkan, Kikar, Beri,Jand, van, and Karil. No special species of animal worth mention are to be found. Only in the riverine tract in the Depalpur Tehsil, stage deer is occasionally seen. Endemic however, is the menacing wild boar in the riverine belt of Sutluj and Ravi.

Around the forest plantations, gray partridge is found, and there is duck and teal in the water spots along the river banks of the Satluj and the Ravi during winter. With the ever-increasing number of licensed guns, these birds are getting smaller in numbers. Black partridge is the few that cling around the riverine track. When the Solar PV panels will be installed on the ground mounted structure there is a minor Flora and Fauna is going to be disturbed due to execution of this project.

CHAPTER 4

ENVIRONMENTAL IMPACTS AND MITIGATION MEASURES

4 Potential Environmental Impacts and Mitigation Measures

The project may have environmental impact during construction and operation phase of the project. During construction phase, the impacts may be temporary and short term while long term impacts may be observed during the operational phase of the project. The project has positive impacts overall by providing a competitive, pollution free and cost effective. It may also meet the increasing demand of power and reduce the gap between demand and supply of power.

The construction and operation phase of the proposed project comprises various activities each of which may have an impact on environmental parameters. The impacts of the project are envisaged during the design and planning, during pre-construction phase, construction phase.

4.1 Impact on Air Quality

As the proposed project is Solar PV project, the impact during construction of project is expected to be minimal as a Greenfield Project plant. Particulate matter in the form of dust would be the predominant pollutant affecting the air quality during the construction phase. Dust will be generated mainly through the movement of vehicles (transportation activities). Minor excavation and back filling are required because the PV panels will install on vacant land. The main source of gaseous emission during the construction phase is movement of equipment and vehicles at site. Equipment deployed during the construction phase is also likely to result in marginal increase in the levels of SO2, NOX, and particulate matter. The impact is reversible, marginal and temporary in nature.

4.2 Impact on Noise Quality

The major noise generating sources during the construction phase are vehicular traffic, construction equipment like; generators, compressors, vibrators etc. The operation of this

equipment will generate noise ranging between 75 - 90 dB (A). As noise generated during construction phase of the project is low and within the Limits of NEQ's. As there is no human settlements and villages near the project vicinity or buffer zone so overall, the impact of generated noise on the environment during construction period is insignificant, reversible and localized in nature.

4.3 Impact on Water Use and Quality

The construction personnel would be housed in temporary settlements or settlements provided by the project sponsors. These settlements would discharge considerable amount of domestic wastewater. Stagnant pools of water would increase breeding of mosquitoes and generally create insanitary conditions. The main pollutants are organic components and microorganisms with the potential to cause contamination of water quality. To address potential impacts on water quality, disinfected washroom (e.g., through regular liming) will be used as main component of the sanitation system. As the PV panels will be installed on vacant land so minor use of water during construction phase of the project and overall no impact on water use and its quality.

4.4 Impact on Groundwater Contamination

There is no harm to the ground water due to construction of PV project because panels will be installed on the Ground but require little excavation to fix the structure and the project site is already developed in premises of Cantt area. There is no impact on the Ground water.

Ground water due to plant operation will be drawn during operation phase for any purpose. There shall be minimal discharge of wastewater from cleaning of Solar PV modules. The wastewater emanating from cleaning operations shall be recycled or used for plantation around the plant. For 01 MW, one vehicle of water is required for the cleaning and duration of the cleaning for 1.0 MW is required approximately 01 or 02 days. For 03 MW, approximately 45000 liters of water is required for washing of panels and on monthly basis and the process will be done on monthly basis.

During the operation & maintenance period, natural underground water can be used for cleaning the modules with manual washing. The water for cleaning the module doesn't include any chemical agents, so the untreated underground water will be used for cleaning. Based on our project circumstances, modules shall be cleaned one in every month. The water supply

system will be installed along the solar panel array and will be used by the cleaning staff to use the tap water for manual cleaning.

4.5 Impact on Land Use

The mobilization of construction equipment and construction materials will require space for storage and parking of construction vehicles and equipment, construction material storage yards, disposal sites, and labor camps for human resource to avoid environmental impact and public inconvenience. The total land available for the Project is 10.09 acres. At the Project site, there has been an absence of the following since the past few decades:

- Any major agricultural activity on the land (some agricultural land is disturbed)
- Any field, wetland or protected area.

Overall, there will be minor impact on the land use. There is minor excavation require for the piling and adjust the mounting structure and a small chunk of land is required for the space of storage of equipment, construction material and waste handling which have a no or minor impact and will be temporary only in construction phase.

4.6 Impact on Biological Environment

The project area is already developed and there is no harm to the biological environment for the installation of PV plant. There will be no impact on flora and fauna of the project area. Thus, the site development works would not lead to any significant loss of important species or ecosystems. Only few trees will be damage during clearing of land and will be replanted a new plant in project vicinity.

4.7 Impact on Solid Waste

Solid waste during the construction phase consists primarily of excess concrete and cement, rejected components and materials, packing and shipping materials (pallets, crates, Styrofoam, plastics etc.) and human waste. During the construction there will be generation of garbage, for which designated practices of solid waste disposal shall be followed.

Solid waste disposal will be done as follows;

- A waste inventory of various waste generated will be prepared and periodically updated.
- The excavated material generated will be reused for site filling and leveling operation to the maximum extent possible
- The scrap metal waste generated from erection of structures and related construction activities will be collected and stored separately in a stack yard and sold to local recyclers.
- Food waste and recyclables viz. paper, plastic, glass etc will be stored in designated waste bins/containers. The recyclables will be periodically sold to local recyclers while food waste will be disposed through proper waste handling mechanism.
- Hazardous waste viz. waste oil etc will be collected and stored in paved and bounded area and subsequently sold to authorized recyclers.

The complete details of scrap metal details will be given as; scrap metal waste generated from erection of structures and related construction activities will be collected and stored separately in a stack yard and sold to local recyclers as per to manage the solid waste handling team. A separate yard area will be allocated for storing the waste material as per the required industrial practice. Also, approved contractor will be hired for the recycling of waste appropriately during construction phase. Waste handling agency will be hired at the start of project construction to manage the waste generating during the construction and operational phase of the plant and the practices used for handling the waste disposal to manage proper waste management through different mechanisms like, make a proper dumping site for the disposal of waste, handling of waste. The wastes which are recyclable are sold to the external contractors and the non-hazardous waste will be dumped through municipal waste collection system and services. The solid waste will be dumped away from the project site and where nearby no settlements or any other affected environment is present. It may the proper dumping site that is used for local municipality. Although the PV cells will not be disposed but sent back under as warranty is for 25 years.

There are some solid wastes in the project site, including the packing material for the equipment, like the wooden pallets and carton boxes. Solid waste management plan will be followed third party EPA certified contractor will be hired for disposal of solid waste (No Impact).

CHAPTER 5

INSTITUTIONAL REQUIREMENT AND ENVIONMENTAL MONITORING PLAN

5 Institutional Requirement and Environmental Monitoring Plan

During the construction and operation of PV Project, the project company will comply all the rules and regulations of EPA and the standard practices as well as NEQs standards. And implement the environmental mitigation and monitoring plan during construction of the project. Environmental Management and Monitoring Plan provides the mechanism to address the adverse environmental as well as social impacts of the proposed project during its execution, to enhance project benefits, and to introduce standards of good practice to be adopted for all project works.

5.1 **Preconstruction Phase**

During pre-construction phase of the project, a field survey was conducted by the team to identify the potential impacts and address into the monitoring plan to mitigate their affects to the project and the surrounding environment. Define the roles and responsibilities for those who involved in the implementation of the EMP during construction. Also define the implementation mechanism for the mitigation measures identified during the present study.

5.2 **Construction Phase**

During construction phase of the project, a solid waste will be handled properly as per the standard industrial practices and dumped into the proper waste disposal sites which are already identified. Provide safety trainings to the workers who works during the construction phase. Provide instructions to project personnel and contractors regarding procedures for protecting the environment and minimizing environmental impact during construction of the project.

5.3 **Operational Phase**

During operational phase, the environment and social impact will be minimum as there is no dust and any gaseous emission from the plant. Only the waste water that used for the cleaning mechanism of PV panels will be generated and will be handled properly as per the standards. Also provide trainings and awareness sessions rising on the environmental and social issues related to power transmission projects to the project. Ensure the legal compliance properly during O & M phase of the project.

CHAPTER 6

FINDINGS AND RECOMMENDATIONS

6 Findings and Recommendations

The Project will be the replacement of conventional power generation with renewable energy. Solar energy will replace fossil fuel powered generation, and therefore reduce suspended particulate matter and greenhouse gas emissions into the atmosphere.

The project is cost effectively and environmental impacts are likely to be minimum in result from the proposed Power project. Careful mitigation and monitoring, specific selection criteria and review/assessment procedures have been specified to ensure that minimal impacts will take place. The detailed design would ensure inclusion of any such environmental impacts that could not be specified or identified at this stage are taken into account and mitigated where necessary. Those impacts can be reduced through the use of mitigation measures such as correction in work practices at the construction sites, or through the careful selection of sites and access routes. As proposed land is already the developed land and PV panels will be installed on the Ground mounted structure and there is no or minimum harm to the natural environment or any biological habitat.

Based on the environmental and social assessment and survey conducted for the Project, the potential adverse environmental impacts can be mitigated to an acceptable level by adequate implementation of the mitigation measures identified during visit. Adequate provisions are being made in the Project to cover the environmental mitigation and monitoring requirements, and their associated costs.



SAFETY AND EMERGENCY PLAN

EMERGENCY RESPONSE PLAN (ERP)

PURPOSE

To describe responsibilities in preparation for, response to and recovery from any reasonably foreseeable incident.

PRIORITIES

Secure the Health and Safety of all personnel involved Minimize any impact on the environment. Minimize any impact on property and assets.

ROLES AND RESPONSIBILITIES

EMERGENCY RESPONSE TEAM LEADER

The person is responsible to manage the execution of emergency response. The main responsibilities include

- Lead the team in case of emergency.
- Ensuring that appropriate emergency response teams are defined and prepared for the various emergency response in different cases.
- Notification to Project Manager of any emergency incident. Emergency should be notify via radio, telephone or messenger.

SITE ENGINEER

Site Engineer is responsible for ensuring at site that provisions are in place for emergency response, including:

- Assembly Points
- Arrangements for conducting head count
- Identification & Mobilization of Fire Team
- Setting up drills and exercise
- Procurement of firefighting equipment

In the event of any emergency, following actions shall be taken by Site Engineer (HSE).

- Analyse the situation and issue direction to the concerned parties and to the Fire Team.
- To make sure that the emergency situation is properly communicated to ERT leader.
- Analyse the intensity of the incident and raise the requirement of any additional equipment if necessary.
- Communicate with site supervisor for withdrawing any permits and for mobilization of any plant and equipment necessary for dealing with emergency.
- •



FIRE TEAM

Fire Team will be responsible for:

- Practice the emergency plan exercise on periodic basis.
- Select a member of their team as a leader who will report to Site Engineer (HSE).
- Take part in different training activities.

An electrician shall be included in the fire team who will be responsible for electrical isolation of areas as necessary.

There shall be a periodic check and routine maintenance of firefighting appliances. There will be a sufficient redundancy of appliances to get utilized in case of emergency.

GENERAL CONSIDERATIONS

Emergency drills shall be arranged after a periodic intervals. The Site Engineer (HSE) shall be responsible for identifying any remedial actions required.

Communication is a critical factor while dealing with emergency. In case of emergency observed by any person, the emergency alarm will be raise on priority and the assembly point shall be clearly indicated. List of all emergency contacts will be displayed at site. A person will notify about the emergency to the site Engineer as well as on emergency numbers.

Activate the emergency alarm to evacuate the area safely and make sure that all persons leave the site safely. Assign someone to advise security to open the main gate of facility for emergency vehicles.

System Studies

Short Circuit Study/Load Flow Studies are being prepared by the Consultants. We will submit the same to the Authority once completed.



Plant Characteristics

Generation Voltage

The Solar PV System will be generating the electricity at 11 KV and it will be synchronized on the same voltage level.

Power Factor & Frequency

Lahore Cantt 1 MW Solar PV system is using Grid-Tie inverters of 150 KVA each to convert DC power of solar panels to Alternating Power. The Power Factor is adjustable from 0 leading to 0 lagging and the rated Power Factor at nominal power is 1. The range of frequency of the inverter is 44-55 Hz and nominal frequency of generation is 50 Hz.



Plant Characteristics

Generation Voltage

The Solar PV System will be generating the electricity at 11 KV and it will be synchronized on the same voltage level.

Power Factor & Frequency

Okara 3 MW Solar PV system is using Grid-Tie inverters of 150 KVA each to convert DC power of solar panels to Alternating Power. The Power Factor is adjustable from 0 leading to 0 lagging and the rated Power Factor at nominal power is 1. The range of frequency of the inverter is 44-55 Hz and nominal frequency of generation is 50 Hz.



Metering and Protection

The energy which will be generated by Solar System will be locked in the inverters and a separate CT meters will be installed at the site, by which the instantaneous power, daily energy, monthly energy and total energy can be measured.

The inverters with the following protections will be installed at the site.

- DC current reverse connection protection
- AC short circuit protection
- Leakage current protection
- Grid monitoring
- DC fuse and over current protection
- Anti-PID function
- Overvoltage protection



Training and Development

The most important things to cover in Training & Development include orientation, site induction according to HSE instructions and other professional and management training.

INITIAL HSE ORIENTATION PROGRAM

After completion of successful HSE orientation, a person will be permitted to enter the site. The Site Engineer HSE will be responsible for the initial orientation which will cover the general HSE rules and regulations for working on site including use of PPEs, first aid, incident reporting, emergency response (alarm system, escape route, assembly point) and possible hazards at the site.

This orientation will be also for the workers of sub-contractors working at the site. Site Engineer HSE will be responsible to keep a record of all the workers.

MANAGEMENT EMPLOYEES TRAINING PROGRAM

The management employees training program will be conducted during to make sure that all management employees are trained.

Site HSE Engineer will conduct HSE trainings for all staff based on training plan.

TASK SPECIFIC TRAINING PROGRAM

If required, an additional training program shall also be arranged for staff and workers in order to give technical knowledge of solar PV system.



Efficiency Parameters

Calculation of PR

PV power plant efficiency can be judged per its performance ratio, expressed as a percentage. This ratio compares a plant's actual energy production to its theoretical energy-generating potential and describes how efficient a PV power plant is in converting sunlight incident on the PV array into AC energy delivered to the utility grid. AS per IEC definition, Performance

Ratio is defined as:

Performance Ratio =
$$\frac{Z1}{Z2} \div \frac{Z3}{Z4}$$

Where,

- Z1 = Accumulated electricity generated during testing period (KWh)
- Z2 Total system installed capacity (KWs)
- Z3 Accumulated irradiation during testing period (Wh/m²)
- 1A Intensity of irradiance under STC condition = 1000W/m^2

Calculation of CUF

Capacity Utilization Factor of the plant is calculated using this formula:

Capacity Utilization Factor =
$$\frac{Specific \ Production \ KWh/KWp}{24 \times 365} \times 100$$